



# PRODUCT LIST 2014

MICROBIOLOGY





# Contents

|                                                                  |                |
|------------------------------------------------------------------|----------------|
| <b>Introduction .....</b>                                        | <b>3</b>       |
| <b>BIOKAR Diagnostics customer services.....</b>                 | <b>4</b>       |
| <b>Alternative methods validated by AFNOR Certification.....</b> | <b>5 - 6</b>   |
| <b>Classifications by :</b>                                      |                |
| <b>- Microorganisms.....</b>                                     | <b>7 - 16</b>  |
| <b>- Alphabetical.....</b>                                       | <b>17 - 24</b> |
| <b>- Product code.....</b>                                       | <b>25 - 31</b> |

# Introduction

## Quality and products reliability

**BIOKAR Diagnostics** performs strict controls to each manufacturing step, targeting the raw materials, in-process intermediate products and the final end product.

All production batches are released for sale only when they meet or exceed pre-defined acceptance criteria (microbiological performance, stability, pH,...). In case of need, a sample is kept for reference in a sample collection for each batch for duration of its validity.

## Answers to your microbiological needs

The certification **ISO 9001:2008** for the production of culture media and associated supplements is only one tangible demonstration of the objective **BIOKAR Diagnostics** has fixed in terms of the commercialization of consistent and optimal quality product.

**BIOKAR Diagnostics** offers media conforms to international standards and innovative products validated by **AFNOR Certification**.



### Information online @

Access directly to Technical Data Sheets (TDS), Material Safety Data Sheet (MSDS) and to Quality Control Certificates (QCC) on our website : [www.biokar-diagnostics.com](http://www.biokar-diagnostics.com)

### Orders and subscriptions


 [orders.biokardiagnositics@solabia.fr](mailto:orders.biokardiagnositics@solabia.fr)

 +33 (0)3 44 14 33 33  +33 (0)3 44 14 33 34

### Contact us

BIOKAR Diagnostics

Rue des quarante Mines  
ZAC de Ther—Allonne —B.P. 10245  
60002 BEAUVAIS Cedex—France

 +33 (0)1 48 10 19 40

 +33 (0)3 44 14 33 34

### Distributors information

List of our distributors on our website section "contacts"

Local contact :



# Alternative methods

validated by AFNOR Certification



## IRIS *Salmonella*<sup>®</sup>

IRIS *Salmonella*<sup>®</sup> method allows a rapid detection of all *Salmonellae* in human, animal food products and environmental samples.

### Enrichment media

|                                                                               |         |                          |
|-------------------------------------------------------------------------------|---------|--------------------------|
| <i>Salmonella</i> Enrichment                                                  | BK194GC | 5 kg                     |
| <i>Salmonella</i> Enrichment                                                  | BK194HA | 500 g                    |
| <i>Salmonella</i> Enrichment with Tween <sup>®</sup> 80 - ready-to-use medium | BM16308 | 3 x 3 L in flexible bags |
| <i>Salmonella</i> Enrichment - ready-to-use medium                            | BM13608 | 10 x 225 mL in vials     |
| <i>Salmonella</i> Enrichment - ready-to-use medium                            | BM13708 | 3 x 3 L in flexible bags |
| <i>Salmonella</i> Enrichment - ready-to-use medium                            | BM14408 | 2 x 5 L in flexible bags |

### Isolation and identification media


|                                                              |         |                     |
|--------------------------------------------------------------|---------|---------------------|
| IRIS <i>Salmonella</i> <sup>®</sup> Agar - pre-poured medium | BM16008 | 20 plates Ø 90 mm   |
| IRIS <i>Salmonella</i> <sup>®</sup> Agar - pre-poured medium | BM16108 | 120 plates Ø 90 mm  |
| * IRIS <i>Salmonella</i> <sup>®</sup> supplement             | BS07708 | 120 tablets         |
| * IRIS <i>Salmonella</i> <sup>®</sup> liquid supplement      | BS07808 | 10 x 50 mL in vials |

### Confirmation test

|                                                      |         |          |
|------------------------------------------------------|---------|----------|
| CONFIRM' <i>Salmonella</i> - Latex agglutination kit | BT01108 | 50 tests |
|------------------------------------------------------|---------|----------|



Validated according to ISO 16140 by Afnor Certification under reference BKR 23/07-10/11. More informations on [afnor-certification.org](http://afnor-certification.org)



## COMPASS<sup>®</sup> *Listeria*

COMPASS<sup>®</sup> *Listeria* method allows the detection and enumeration of *Listeria monocytogenes* and *Listeria* spp. in the food and environmental samples products.

### Diluant

|                                                         |         |                          |
|---------------------------------------------------------|---------|--------------------------|
| Buffered peptone water (20 g/L)                         | BK131HA | 500 g                    |
| Buffered peptone water (20 g/L)                         | BK131GC | 5 kg                     |
| Buffered peptone water (25,5 g/L)                       | BK018HA | 500 g                    |
| Buffered peptone water (25,5 g/L)                       | BK018GC | 5 kg                     |
| Buffered peptone water (25,5 g/L) - ready-to-use medium | BM01008 | 10 x 225 mL in vials     |
| Buffered peptone water (25,5 g/L) - ready-to-use medium | BM05608 | 50 x 9 mL in tubes       |
| Buffered peptone water (25,5 g/L) - ready-to-use medium | BM05708 | 10 x 90 mL in vials      |
| Buffered peptone water (25,5 g/L) - ready-to-use medium | BM13108 | 3 x 3 L in flexible bags |
| Buffered peptone water (25,5 g/L) - ready-to-use medium | BM13208 | 2 x 5 L in flexible bags |

### Enrichment media

|                                            |         |                          |
|--------------------------------------------|---------|--------------------------|
| Half-FRASER Broth - dehydrated base medium | BK173HA | 500 g                    |
| Half-FRASER Broth - dehydrated base medium | BK173HA | 5 kg                     |
| * Half-FRASER Broth selective supplement   | BS03008 | 10 vials pack qsp 500 mL |
| * Half-FRASER Broth selective supplement   | BS03208 | 8 vials pack qsp 2,25 L  |
| Half-FRASER Broth - ready-to-use           | BM01608 | 10 x 225 mL in vials     |
| Half-FRASER Broth - ready-to-use           | BM13408 | 2 x 5 L in flexible bags |
| Half-FRASER Broth - ready-to-use           | BM13308 | 2 x 3 L in flexible bags |

### Isolation and identification media

|                                                               |         |                                                                                                                    |
|---------------------------------------------------------------|---------|--------------------------------------------------------------------------------------------------------------------|
| COMPASS <sup>®</sup> <i>Listeria</i> Agar (Kit)               | BT00808 | 6 x 200 mL base medium in vials + 6 vials of selective suppl. qsp 200 mL + 6 vials of enrichment suppl. qsp 200 mL |
| COMPASS <sup>®</sup> <i>Listeria</i> Agar - pre-poured medium | BM12308 | 20 plates Ø 90 mm                                                                                                  |
| COMPASS <sup>®</sup> <i>Listeria</i> Agar - pre-poured medium | BM12408 | 120 plates Ø 90 mm                                                                                                 |

### Confirmation test


|                                                              |         |                    |
|--------------------------------------------------------------|---------|--------------------|
| CONFIRM' <i>L.mono</i> Broth                                 | BM16208 | 18 vials with 1 mL |
| CONFIRM' <i>L.mono</i> Agar <sup>®</sup> - pre-poured medium | BM13908 | 10 plates Ø 90 mm  |



Validated according to ISO 16140 by Afnor Certification under reference BKR 23/02-11/02 (detection) et BKR 23/05-12/07 (enumeration). More informations on [afnor-certification.org](http://afnor-certification.org)

# Alternative methods

validated by AFNOR Certification



## COMPASS<sup>®</sup> *Bacillus*


COMPASS<sup>®</sup> *Bacillus* method allows the detection and enumeration of spores and vegetative forms of the species belonging to the group of presumptive *Bacillus cereus* in the food and feed products.

### Isolation and identification media

|                                                                         |         |                          |
|-------------------------------------------------------------------------|---------|--------------------------|
| COMPASS <sup>®</sup> <i>Bacillus cereus</i> Agar - pre-poured medium    | BM12608 | 20 plates Ø 90 mm        |
| COMPASS <sup>®</sup> <i>Bacillus cereus</i> Agar - ready-to-melt medium | BM13008 | 10 x 100 mL in vials     |
| * COMPASS <sup>®</sup> <i>Bacillus cereus</i> Agar selective supplement | BS06908 | 10 vials pack qsp 100 mL |



Validated according to ISO 16140 by Afnor Certification under reference BKR 23/06-02/10.  
More informations on [afnor-certification.org](http://afnor-certification.org)



## SESAME *Salmonella* TEST<sup>®</sup>

SESAME *Salmonella* TEST<sup>®</sup> method allows the detection of motile *Salmonella* in the food, feed and environmental samples products.

### Enrichment media

|                                                                               |         |                          |
|-------------------------------------------------------------------------------|---------|--------------------------|
| <i>Salmonella</i> Enrichment                                                  | BK194GC | 5 kg                     |
| <i>Salmonella</i> Enrichment                                                  | BK194HA | 500 g                    |
| <i>Salmonella</i> Enrichment with Tween <sup>®</sup> 80 - ready-to-use medium | BM16308 | 3 x 3 L in flexible bags |
| <i>Salmonella</i> Enrichment - ready-to-use medium                            | BM13608 | 10 x 225 mL in vials     |
| <i>Salmonella</i> Enrichment - ready-to-use medium                            | BM13708 | 3 x 3 L in flexible bags |
| <i>Salmonella</i> Enrichment - ready-to-use medium                            | BM14408 | 2 x 5 L in flexible bags |

### SESAME *Salmonella* TEST<sup>®</sup> method


|                                                           |         |                     |
|-----------------------------------------------------------|---------|---------------------|
| SESAME <i>Salmonella</i> Detection                        | BK195HA | 500 g               |
| SESAME <i>Salmonella</i> Detection - pre-poured medium    | BM14108 | 20 plates Ø 90 mm   |
| SESAME <i>Salmonella</i> Detection - pre-poured medium    | BM15008 | 120 plates Ø 90 mm  |
| SESAME <i>Salmonella</i> Detection - ready-to-melt medium | BM13808 | 10 x 200 mL in vial |

### Confirmation test

|                                                                 |         |                   |
|-----------------------------------------------------------------|---------|-------------------|
| COMPASS <sup>®</sup> <i>Salmonella</i> Agar - pre-poured medium | BM06608 | 20 plates Ø 90 mm |
|-----------------------------------------------------------------|---------|-------------------|



Validated according to ISO 16140 by Afnor Certification under reference BKR 23/04-12/07.  
More informations on [afnor-certification.org](http://afnor-certification.org)



## COMPASS<sup>®</sup> cc

COMPASS<sup>®</sup> cc method allows the enumeration of *Escherichia coli* and coliforms bacteria in water human consumption.

### Isolation and identification media

|                                                       |         |                          |
|-------------------------------------------------------|---------|--------------------------|
| COMPASS <sup>®</sup> cc Agar - pre-poured medium      | BM15308 | 20 plates Ø 55 mm        |
| COMPASS <sup>®</sup> cc Agar - dehydrated base medium | BK210HA | 500 g                    |
| COMPASS <sup>®</sup> cc Agar selective supplement     | BS08408 | 10 vials pack qsp 500 mL |



Validated according to the reference method protocol by Afnor Certification under reference BKR 23/08-06/12.  
More informations on [afnor-certification.org](http://afnor-certification.org)

| Designation                                                          | Code    | Packaging                |
|----------------------------------------------------------------------|---------|--------------------------|
| <b>Suspensions, dilutions, revivifications</b>                       |         |                          |
| Tryptone-salt Broth (Maximum Recovery Diluent)                       | BK014HA | 500 g                    |
| Tryptone-salt Broth (Maximum Recovery Diluent) - Ready-to-use medium | BM00808 | 50 × 9 mL in tubes       |
| Tryptone-salt Broth (Maximum Recovery Diluent) - Ready-to-use medium | BM11408 | 10 × 90 mL in vials      |
| Tryptone-salt Broth (Maximum Recovery Diluent) - Ready-to-use medium | BM13508 | 3 × 3 L in flexible bags |
| Buffered peptone Broth with sodium chloride pH 7.0                   | BK128HA | 500 g                    |
| Lactose Broth                                                        | BK082HA | 500 g                    |
| Sterile distilled water                                              | BM11508 | 50 × 18 mL in tubes      |
| Peptone water 0,1 %                                                  | BM16408 | 2 × 5 L in flexible bags |
| Buffered peptone water (25.5 g/L)                                    | BK018GC | 5 kg                     |
| Buffered peptone water (25.5 g/L)                                    | BK018HA | 500 g                    |
| Buffered peptone water (20 g/L)                                      | BK131GC | 5 kg                     |
| Buffered peptone water (20 g/L)                                      | BK131HA | 500 g                    |
| Buffered peptone water (25.5 g/L) - Ready-to-use medium              | BM01008 | 10 × 225 mL in vials     |
| Buffered peptone water (25.5 g/L) - Ready-to-use medium              | BM05608 | 50 × 9 mL in tubes       |
| Buffered peptone water (25.5 g/L) - Ready-to-use medium              | BM05708 | 10 × 90 mL in vials      |
| Buffered peptone water (25.5 g/L) - Ready-to-use medium              | BM13108 | 3 × 3 L in flexible bags |
| Buffered peptone water (25.5 g/L) - Ready-to-use medium              | BM13208 | 2 × 5 L in flexible bags |
| Peptone water                                                        | BK084HA | 500 g                    |
| <b>Salmonella Enrichment with Tween®80 - Ready-to-use</b>            | BM16308 | 3 × 3 L in flexible bags |
| Ringer's solution (1/4 strength)                                     | BR00108 | 100 tablets              |

## Anaerobic bacteria

|                                           |         |       |
|-------------------------------------------|---------|-------|
| Meat liver glucose 0.6 % Agar             | BK024HA | 500 g |
| Reinforced Clostridial Medium (RCM) Broth | BK094HA | 500 g |
| Reinforced Clostridial Agar               | BK090HA | 500 g |

## Anaerobic sulfito-reducing bacteria

|                                                 |         |                          |
|-------------------------------------------------|---------|--------------------------|
| TSN Agar                                        | BK001HA | 500 g                    |
| Meat-yeast Agar                                 | BK006HA | 500 g                    |
| Meat-liver glucose Agar                         | BK157HA | 500 g                    |
| Meat liver glucose agar with 2g/L yeast extract | BM16908 | 10 x 200 mL in vials     |
| TSC Agar - Ready-to-use base medium             | BM03908 | 50 × 20 mL in tubes      |
| TSC Agar - Ready-to-melt base medium            | BM07708 | 10 × 200 mL in vials     |
| TSC Agar - Dehydrated base medium               | BK031HA | 500 g                    |
| * D-cycloserine 200 mg selective supplement     | BS00608 | 10 vials pack qsp 500 mL |
| * Egg Yolk Enrichment                           | BS06608 | 10 × 50 mL in vials      |

## Bacillus

|                                                                  |         |                      |
|------------------------------------------------------------------|---------|----------------------|
| Dextrose Tryptone Agar                                           | BK042HA | 500 g                |
| BCP Dextrose Agar - Ready-to-melt medium                         | BM16808 | 10 × 200 mL in vials |
| Bacillus cereus (acc. to Mossel) - Pre-poured medium             | BM03808 | 20 plates Ø 90 mm    |
| Bacillus cereus Agar (acc. to Mossel) - Dehydrated base medium   | BK116HA | 500 g                |
| * Egg Yolk Emulsion with Polymyxin B                             | BS05508 | 10 × 50 mL in vials  |
| * Polymyxin B selective supplement                               | BS00708 | 10 vials pack        |
| * Egg Yolk Enrichment                                            | BS06608 | 10 × 50 mL in vials  |
| <b>COMPASS® Bacillus cereus Agar - Pre-poured medium</b>         | BM12608 | 20 plates Ø 90 mm    |
| <b>COMPASS® Bacillus cereus Agar (base)</b>                      | BK189HA | 500 g                |
| <b>COMPASS® Bacillus cereus Agar - Ready-to-melt base medium</b> | BM13008 | 10 × 100 mL in vials |



| Designation                                              | Code    | Packaging                |
|----------------------------------------------------------|---------|--------------------------|
| * COMPASS® <i>Bacillus cereus</i> - Selective supplement | BS06908 | 10 vials pack qsp 100 mL |
| * COMPASS® <i>Bacillus cereus</i> - Selective supplement | BS08508 | 10 vials pack qsp 500 mL |

## Clostridium

|                                                                   |         |                          |
|-------------------------------------------------------------------|---------|--------------------------|
| Lactose sulfite (LS) Broth                                        | BK140HA | 500 g                    |
| BRYANT and BURKEY Broth with resazurin (modified acc. to BERGERE) | BK141GC | 5 kg                     |
| BRYANT and BURKEY Broth with resazurin (modified acc. to BERGERE) | BK141HA | 500 g                    |
| Thioglycollate medium with resazurin                              | BK017HA | 500 g                    |
| Thioglycollate medium with resazurin - Ready-to-use medium        | BM08208 | 50 × 10 mL in tubes      |
| TSC Agar - Ready-to-use base medium                               | BM03908 | 50 × 20 mL in tubes      |
| TSC Agar - Ready-to-melt base medium                              | BM07708 | 10 × 200 mL in vials     |
| TSC Agar - Dehydrated base medium                                 | BK031HA | 500 g                    |
| * D-cycloserine 200 mg selective supplement                       | BS00608 | 10 vials pack qsp 500 mL |
| * Egg Yolk Enrichment                                             | BS06608 | 10 × 50 mL in vials      |

## Cronobacter spp.

|                                                                                |         |                     |
|--------------------------------------------------------------------------------|---------|---------------------|
| Modified Lauryl Sulfate Tryptose (mLST) vancomycin Broth                       | BK190HA | 500 g               |
| Modified Lauryl Sulfate Tryptose (mLST) vancomycin Broth - Ready-to-use medium | BM12108 | 50 × 10 mL in tubes |
| COMPASS® <i>Enterobacter sakazakii</i> Agar - Pre-poured medium                | BM12008 | 20 plates Ø 90 mm   |
| COMPASS® <i>Enterobacter sakazakii</i> Agar                                    | BK188HA | 500 g               |

## Enterobacteriaceae

|                                    |         |                      |
|------------------------------------|---------|----------------------|
| EE Broth (acc. to MOSSEL)          | BK127HA | 500 g                |
| VRBG Agar - Ready-to-melt medium   | BM07508 | 10 × 200 mL in vials |
| VRBG Agar                          | BK011GC | 5 kg                 |
| VRBG Agar                          | BK011HA | 500 g                |
| * MUG 50 mg supplement             | BS02408 | 10 vials pack        |
| Glucose Agar - Ready-to-use medium | BM09908 | 50 × 10 mL in tubes  |
| Bromcresol Purple Lactose Agar     | BK023HA | 500 g                |
| KLIGLER Agar                       | BK034HA | 500 g                |
| DRIGALSKI lactose Agar             | BK036HA | 500 g                |
| TSI Agar                           | BK059HA | 500 g                |

## Escherichia coli, coliforms

|                                                                         |         |                              |
|-------------------------------------------------------------------------|---------|------------------------------|
| Tryptophan Broth - Ready-to-use medium                                  | BM07608 | 50 × 3 mL in tubes           |
| Tryptophan Broth                                                        | BK163HA | 500 g                        |
| Brilliant Green Bile Broth (BGBB) single strength - Ready-to-use medium | BM01108 | 50 × 10 mL with Durham tubes |
| Brilliant Green Bile Broth (BGBB)                                       | BK002HA | 500 g                        |
| Laurylsulfate-Tryptose Broth                                            | BK010HA | 500 g                        |
| Laurylsulfate-Tryptose single strength Broth - Ready-to-use medium      | BM09708 | 50 × 10 mL with Durham tubes |
| Laurylsulfate-Tryptose double strength Broth - Ready-to-use medium      | BM09808 | 50 × 10 mL with Durham tubes |
| * MUG 50 mg supplement                                                  | BS02408 | 10 vials pack                |
| MacCONKEY Broth purple                                                  | BK107HA | 500 g                        |
| Bromcresol Purple Lactose Broth                                         | BK119HA | 500 g                        |
| EC Broth                                                                | BK162HA | 500 g                        |
| Glutamate Broth                                                         | BK186HA | 500 g                        |
| CLED Agar                                                               | BK020HA | 500 g                        |
| EMB Agar (LEVINE)                                                       | BK056HA | 500 g                        |

| Designation                                  | Code    | Packaging             |
|----------------------------------------------|---------|-----------------------|
| ENDO Agar                                    | BK057HA | 500 g                 |
| Desoxycholate (0.1%) lactose Agar            | BK062HA | 500 g                 |
| Desoxycholate lactose Agar                   | BK065HA | 500 g                 |
| Tergitol 7 Agar - Pre-poured medium          | BM14708 | 20 plates Ø 55 mm     |
| Tergitol 7 Agar - Pre-poured medium          | BM09308 | 120 plates Ø 90 mm    |
| Tergitol 7 Agar - Dehydrated base medium     | BK123HA | 500 g                 |
| TTC supplement 12.5 mg                       | BS02608 | 10 vials pack         |
| TBX Agar                                     | BK146HA | 500 g                 |
| TBX Agar                                     | BK146HM | 100 g                 |
| TBX Agar Ready-to-melt medium                | BM17108 | 10 x 200 mL in vials  |
| TBX Agar Ready-to-melt medium                | BM06908 | 10 x 100 mL in vials  |
| VRBL Agar - Ready-to-melt medium             | BM03408 | 10 x 100 mL in vials  |
| VRBL Agar - Ready-to-melt medium             | BM03508 | 10 x 200 mL in vials  |
| VRBL Agar                                    | BK152GC | 5 kg                  |
| VRBL Agar                                    | BK152HA | 500 g                 |
| * MUG 50 mg supplement                       | BS02408 | 10 vials pack         |
| <b>COMPASS® Ecc Agar - Dehydrated medium</b> | BK202HA | 500 g                 |
| <b>COMPASS® cc Agar - Pre-poured medium</b>  | BM15308 | 20 plates Ø 55 mm     |
| Microplate MUG/EC                            | BT00108 | 25 opaque microplates |

## *Escherichia coli* O157

|                                                             |         |                          |
|-------------------------------------------------------------|---------|--------------------------|
| MacCONKEY-sorbitol (CT-SMAC) Agar - Dehydrated base medium  | BK147HA | 500 g                    |
| Cefixime-tellurite supplement for CT-SMAC Agar              | BS03708 | 10 vials pack qsp 500 mL |
| Modified Tryptone soy Broth (mTSB) - Dehydrated base medium | BK150HA | 500 g                    |
| * Novobiocin 10 mg selective supplement                     | BS03308 | 10 vials pack            |

## Total Viable Count

|                                                            |         |                      |
|------------------------------------------------------------|---------|----------------------|
| Nutrient Broth                                             | BK003HA | 500 g                |
| Non-animal Broth                                           | BK180HA | 500 g                |
| Eugon Broth                                                | BK068HA | 500 g                |
| Brain-Heart Broth                                          | BK015HA | 500 g                |
| Thioglycollate medium with resazurin                       | BK017GC | 5 kg                 |
| Thioglycollate medium with resazurin                       | BK017HA | 500 g                |
| Thioglycollate medium with resazurin - Ready-to-use medium | BM08208 | 50 x 10 mL in tubes  |
| Thioglycollate medium with resazurin - Ready-to-use medium | BK206GC | 5 kg                 |
| Nutrient Agar 2 %                                          | BK185HA | 500 g                |
| Nutrient Agar 2 % - Ready-to-melt medium                   | BM11808 | 50 x 18 mL in tubes  |
| Trypto-casein Soy Broth (TSB)                              | BK046GC | 5 kg                 |
| Trypto-casein Soy Broth (TSB)                              | BK046HA | 500 g                |
| Trypto-casein Soy Broth (TSB) - Ready-to-use medium        | BM00908 | 10 x 100 mL in vials |
| Trypto-casein Soy Broth (TSB) - Ready-to-use medium        | BM03008 | 50 x 10 mL in tubes  |
| Trypto-casein Soy Agar (TSA) - Ready-to-melt medium        | BM01708 | 10 x 100 mL in vials |
| Trypto-casein Soy Agar (TSA) - Ready-to-melt medium        | BM04908 | 10 x 200 mL in vials |
| Trypto-casein Soy Agar (TSA)                               | BK047HA | 500 g                |
| Sugar-Free Agar (SFA) - Ready-to-melt medium               | BM12208 | 10 x 100 mL in vials |
| Sugar-Free Agar (SFA)                                      | BK126HA | 500 g                |
| Count-tact Agar                                            | BK130HA | 500 g                |
| Yeast extract Agar                                         | BK153HA | 500 g                |
| Yeast extract Agar - Ready-to-melt medium                  | BM06808 | 10 x 200 mL in vials |

| Designation                                               | Code    | Packaging                |
|-----------------------------------------------------------|---------|--------------------------|
| Plate count Agar with skimmed milk                        | BK161HA | 500 g                    |
| Plate count Agar (PCA)                                    | BK144GC | 5 kg                     |
| Plate count Agar (PCA)                                    | BK144HA | 500 g                    |
| Plate count Agar (PCA) - Ready-to-melt medium             | BM03308 | 10 × 200 mL in vials     |
| Plate count Agar (PCA) - Ready-to-melt medium             | BM01508 | 10 × 100 mL in vials     |
| Plate count Agar with skimmed milk - Ready-to-melt medium | BM08608 | 10 × 200 mL in vials     |
| * TTC supplement 12.5 mg                                  | BS02608 | 10 vials pack            |
| * TTC supplement 50 mg                                    | BS02708 | 10 vials pack qsp 500 mL |

## **Lactobacillus, Leuconostoc, Lactococcus**

|                                        |         |                      |
|----------------------------------------|---------|----------------------|
| MRS Broth                              | BK070GC | 5 kg                 |
| MRS Broth                              | BK070HA | 500 g                |
| MRS Broth (Non-animal)                 | BK176HA | 500 g                |
| MRS Agar                               | BK089HA | 500 g                |
| MRS Agar pH 5.7 - Ready-to-melt medium | BM08908 | 10 × 200 mL in vials |
| ROGOSA Agar                            | BK033HA | 500 g                |
| Elliker Broth                          | BK054HA | 500 g                |
| M 17 Broth                             | BK012HA | 500 g                |
| M 17 Agar                              | BK088HA | 500 g                |
| MAYEUX SANDINE ELLIKER Agar (MSE)      | BK087HA | 500 g                |

## **Legionella**

|                                                                      |         |                   |
|----------------------------------------------------------------------|---------|-------------------|
| GVPC Agar for <i>Legionella</i> - Pre-poured medium                  | BM07108 | 20 plates Ø 90 mm |
| BCYE Agar for <i>Legionella</i> NEN                                  | BM07208 | 20 plates Ø 90 mm |
| BCYE Agar for <i>Legionella</i> NEN                                  | BM07308 | 20 plates Ø 90 mm |
| <i>Legionella</i> Agar NEN                                           | BM08108 | 20 plates Ø 90 mm |
| BCYE Agar for <i>Legionella</i> - Pre-poured medium                  | BM11208 | 20 plates Ø 90 mm |
| BCYE Agar without cysteine for <i>Legionella</i> - Pre-poured medium | BM11308 | 20 plates Ø 90 mm |

## **Listeria**

|                                                    |         |                          |
|----------------------------------------------------|---------|--------------------------|
| <i>Listeria</i> enrichment Broth (LEB acc. to FDA) | BK112HA | 500 g                    |
| <i>Listeria</i> enrichment Broth (UVM I modified)  | BK113HA | 500 g                    |
| <i>Listeria</i> enrichment Broth (UVM I modified)  | BM16508 | 2 × 5 L in flexible bags |
| <i>Listeria</i> enrichment Broth (LEB acc. to IDF) | BK124HA | 500 g                    |
| FRASER Broth - Ready-to-use medium                 | BM01308 | 50 × 10 mL in tubes      |
| FRASER Broth - Dehydrated base medium              | BK115HA | 500 g                    |
| FRASER Broth (II) - Dehydrated base medium         | BK133GC | 5 kg                     |
| FRASER Broth (II) - Dehydrated base medium         | BK133HA | 500 g                    |
| * Half-FRASER selective supplement                 | BS03208 | 8 vials pack qsp 2.25 L  |
| * Half-FRASER selective supplement                 | BS03008 | 10 vials pack qsp 500 mL |
| * FRASER selective supplement                      | BS03108 | 10 vials pack qsp 500 mL |
| Half-FRASER Broth - Ready-to-use medium            | BM01608 | 10 × 225 mL in vials     |
| Half-FRASER Broth - Ready-to-use medium            | BM13308 | 3 × 3 L in flexible bags |
| Half-FRASER Broth - Ready-to-use medium            | BM13408 | 2 × 5 L in flexible bags |
| Half-FRASER Broth - Dehydrated base medium         | BK173GC | 5 kg                     |
| Half-FRASER Broth - Dehydrated base medium         | BK173HA | 500 g                    |
| * Sterile ferric ammonium citrate 5 % supplement   | BS05908 | 10 × 90 mL in vials      |
| * Sterile ferric ammonium citrate 5 % supplement   | BS06208 | 7 × 10 mL in tubes       |
| Oxford Agar - Dehydrated base medium               | BK110HA | 500 g                    |

| Designation                                                                 | Code    | Packaging                                                                                                            |
|-----------------------------------------------------------------------------|---------|----------------------------------------------------------------------------------------------------------------------|
| Oxford selective supplement (CCCFA)                                         | BS00308 | 10 vials pack qsp 500 mL                                                                                             |
| TSYE Agar                                                                   | BK171HA | 500 g                                                                                                                |
| TSYE Agar - Ready-to-melt medium                                            | BM10808 | 50 × 18 mL in tubes                                                                                                  |
| <b>COMPASS® <i>Listeria</i> Agar - Pre-poured medium</b>                    | BK192HA | 500 g                                                                                                                |
| * <b>COMPASS® <i>Listeria</i> Agar - Enrichment supplement - liquid</b>     | BS07008 | 8 vials pack qsp 1 L                                                                                                 |
| * <b>COMPASS® <i>Listeria</i> Agar - Selective supplement - lyophilised</b> | BS07108 | 8 vials pack qsp 1 L                                                                                                 |
| <b>COMPASS® <i>Listeria</i> Agar - Pre-poured medium</b>                    | BM12308 | 20 plates Ø 90 mm                                                                                                    |
| <b>COMPASS® <i>Listeria</i> Agar - Pre-poured medium</b>                    | BM12408 | 120 plates Ø 90 mm                                                                                                   |
| <b>COMPASS® <i>Listeria</i> Agar</b>                                        | BT00808 | 6 × 200 mL base medium in vials + 6 vials of selective suppl. qsp 200 mL m + 6 vials of enrichment suppl. qsp 200 mL |
| <b>CONFIRM' <i>L. mono</i> Agar® - Pre-poured medium</b>                    | BM13908 | 10 plates Ø 90 mm                                                                                                    |
| <b>CONFIRM' <i>L. mono</i> Broth</b>                                        | BM16208 | 18 x 1 mL in vials                                                                                                   |
| PALCAM Agar - Pre-poured medium                                             | BM02008 | 20 plates Ø 90 mm                                                                                                    |
| PALCAM Agar - Dehydrated base medium                                        | BK145HA | 500 g                                                                                                                |
| * PALCAM selective supplement                                               | BS00408 | 10 vials pack qsp 500 mL                                                                                             |
| * PALCAM selective supplement                                               | BS04908 | 8 vials pack qsp 2.5 L                                                                                               |

## ***Pseudomonas***

|                                                                                                              |         |                          |
|--------------------------------------------------------------------------------------------------------------|---------|--------------------------|
| Acetamide Broth - Ready-to-use                                                                               | BM09508 | 7 × 5 mL in tubes        |
| Cetrimide Agar - Dehydrated base medium (without glycerol)                                                   | BK049HA | 500 g                    |
| CFC Agar - Ready-to-melt base medium                                                                         | BM09608 | 10 × 200 mL in vials     |
| CFC Agar - Dehydrated base medium                                                                            | BK118HA | 500 g                    |
| * CFC selective supplement                                                                                   | BS02208 | 10 vials pack qsp 500 mL |
| Glucose Agar - Ready-to-use medium                                                                           | BM09908 | 50 × 10 mL in tubes      |
| KING B Agar - Ready-to-melt medium                                                                           | BM10508 | 7 × 7 mL in tubes        |
| CN Agar for <i>Pseudomonas</i> - Dehydrated base medium (with Cetrimide and Nalidixic acid without glycerol) | BK165HA | 500 g                    |
| CN Agar for <i>Pseudomonas</i> - Pre-poured medium                                                           | BM14508 | 20 plates Ø 55 mm        |
| Penicillin Pimaricine Agar (PPA) - Pre-poured medium                                                         | BM15608 | 20 plates Ø 90 mm        |
| <b>RHAPSODY Agar® - Pre-poured medium</b>                                                                    | BM16708 | 20 boîtes Ø 90 mm        |

## ***Salmonella, Shigella***

|                                                              |         |                      |
|--------------------------------------------------------------|---------|----------------------|
| WILSON-BLAIR modified                                        | BK004HA | 500 g                |
| Selenite-Cystine Broth                                       | BK009HA | 500 g                |
| RAPPAPORT-VASSILIADIS Soja (RVS) Broth                       | BK148HA | 500 g                |
| RAPPAPORT-VASSILIADIS Soja (RVS) Broth - Ready-to-use medium | BM07408 | 50 × 10 mL in tubes  |
| MÜLLER-KAUFFMANN Broth - Dehydrated base medium              | BK135HA | 500 g                |
| * Novobiocin 10 mg selective supplement                      | BS03308 | 10 vials pack        |
| * Novobiocin 40 mg selective supplement                      | BS05608 | 8 vials pack         |
| MKTTn Broth - Dehydrated base medium with novobiocin         | BK208HA | 500 g                |
| MKTTn Broth - Ready-to-use medium                            | BM07808 | 50 × 10 mL in tubes  |
| MKTTn Broth - Dehydrated base medium                         | BK169HA | 500 g                |
| * Novobiocin 10 mg selective supplement                      | BS03308 | 10 vials pack        |
| * Novobiocin 40 mg selective supplement                      | BS05608 | 8 vials pack         |
| MSRV Agar (ISO 6579)                                         | BK191HA | 500 g                |
| MSRV Agar (ISO 6579) - Ready-to-melt medium                  | BM12708 | 10 × 200 mL in vials |
| MSRV Agar - Dehydrated base medium                           | BK134HA | 500 g                |
| * Novobiocin 10 mg selective supplement                      | BS03308 | 10 vials pack        |
| * Novobiocin 40 mg selective supplement                      | BS05608 | 8 vials pack         |

| Designation                                                                 | Code    | Packaging                |
|-----------------------------------------------------------------------------|---------|--------------------------|
| XLD Agar                                                                    | BK058HA | 500 g                    |
| XLD Agar (ISO 6579) - Pre-poured medium                                     | BM08708 | 20 plates Ø 90 mm        |
| XLD Agar (ISO 6579)                                                         | BK168HA | 500 g                    |
| SS Agar                                                                     | BK022HA | 500 g                    |
| Hektoen Enteric Agar                                                        | BK067HA | 500 g                    |
| MacCONKEY Agar                                                              | BK050HA | 500 g                    |
| * MUG 50 mg supplement                                                      | BS02408 | 10 vials pack            |
| Brilliant Green Agar (KRISTENSEN)                                           | BK071HA | 500 g                    |
| Brilliant Green Agar (EDEL and KAMPELMACHER)                                | BK091HA | 500 g                    |
| XLT4 Agar - Pre-poured medium                                               | BM03608 | 20 plates Ø 90 mm        |
| XLT4 Agar - Dehydrated base medium                                          | BK156HA | 500 g                    |
| * Tergitol 4 selective supplement                                           | BS03908 | 50 mL in vial            |
| <b>SESAME Salmonella Detection - Ready-to-melt medium</b>                   | BM13808 | 10 × 200 mL in vials     |
| <b>SESAME Salmonella Detection - Pre-poured medium</b>                      | BM14108 | 20 plates Ø 90 mm        |
| <b>SESAME Salmonella Detection - Pre-poured medium</b>                      | BM15008 | 120 plates Ø 90 mm       |
| <b>COMPASS<sup>®</sup> Salmonella Agar - Pre-poured medium</b>              | BM06608 | 20 plates Ø 90 mm        |
| <b>Salmonella Enrichment</b>                                                | BK194GC | 5 kg                     |
| <b>Salmonella Enrichment</b>                                                | BK194HA | 500 g                    |
| <b>Salmonella Enrichment - Ready-to-use medium</b>                          | BM13608 | 10 × 225 mL in vials     |
| <b>Salmonella Enrichment - Ready-to-use medium</b>                          | BM13708 | 3 × 3 L in flexible bags |
| <b>Salmonella Enrichment - Ready-to-use medium</b>                          | BM14408 | 2 × 5 L in flexible bags |
| <b>Salmonella Enrichment with Tween<sup>®</sup>80 - Ready-to-use medium</b> | BM16308 | 3 × 3 L in flexible bags |
| <b>* IRIS Salmonella<sup>®</sup> supplement - Tablets</b>                   | BS07708 | 120 tablets              |
| <b>* IRIS Salmonella<sup>®</sup> supplement - Liquid</b>                    | BS07808 | 10 × 50 mL in vials      |
| <b>IRIS Salmonella<sup>®</sup> Agar - Pre-poured medium</b>                 | BM16008 | 20 plates Ø 90 mm        |
| <b>IRIS Salmonella<sup>®</sup> Agar - Pre-poured medium</b>                 | BM16108 | 120 plates Ø 90 mm       |
| <b>CONFIRM' Salmonella - Latex agglutination kit</b>                        | BT01108 | 50 tests                 |

## Staphylococcus

|                                                                                             |         |                                                                                  |
|---------------------------------------------------------------------------------------------|---------|----------------------------------------------------------------------------------|
| GIOLITTI and CANTONI with Tween <sup>®</sup> 80 single strength Broth - Ready-to-use medium | BM11008 | 50 × 10 mL in tubes                                                              |
| GIOLITTI and CANTONI with Tween <sup>®</sup> 80 double strength Broth - Ready-to-use medium | BM11108 | 50 × 10 mL in tubes                                                              |
| GIOLITTI and CANTONI Broth with Tween <sup>®</sup> 80 - Dehydrated base medium              | BK159HA | 500 g                                                                            |
| BUTTIAUX-BROGNIART hypersalted Broth (double strength)                                      | BK081HA | 500 g                                                                            |
| Mannitol salt Agar                                                                          | BK030HA | 500 g                                                                            |
| Mannitol salt Agar - Pre-poured medium                                                      | BM14808 | 20 plates Ø 55 mm                                                                |
| BAIRD-PARKER Agar - Dehydrated base medium                                                  | BK055GC | 5 kg                                                                             |
| BAIRD-PARKER Agar - Dehydrated base medium                                                  | BK055HA | 500 g                                                                            |
| * Egg Yolk Enrichment                                                                       | BS06608 | 10 × 50 mL in vials                                                              |
| * Sterile Egg Yolk Tellurite Enrichment                                                     | BS06008 | 10 × 50 mL in vials                                                              |
| * Sulfamethazine 25 mg selective supplement                                                 | BS02808 | 10 vials pack qsp 500 mL                                                         |
| * Rabbit Plasma Fibrinogen (RPF) supplement                                                 | BS03408 | 8 vials pack (1 vial qsp 100 mL)                                                 |
| * Rabbit Plasma Fibrinogen (RPF) supplement                                                 | BS03808 | 1 vial qsp 500 mL                                                                |
| BAIRD PARKER Agar with Egg Yolk and Tellurite - Pre-poured medium                           | BM01808 | 20 plates Ø 90 mm                                                                |
| BAIRD PARKER Agar with Egg Yolk and Tellurite - Pre-poured medium                           | BM09108 | 120 plates Ø 90 mm                                                               |
| BAIRD-PARKER RPF Agar - Pre-poured medium                                                   | BM06708 | 20 plates Ø 90 mm                                                                |
| BAIRD-PARKER RPF Agar                                                                       | BT00508 | 6 × 90 mL vials of base medium ready-to-melt + 6 vials of RPF suppl. qsp 100 mL  |
| BAIRD-PARKER RPF Agar                                                                       | BT01008 | 6 × 180 mL vials of base medium ready-to-melt + 6 vials of RPF suppl. qsp 200 mL |

| Designation                                                       | Code    | Packaging                      |
|-------------------------------------------------------------------|---------|--------------------------------|
| BAIRD-PARKER RPF Agar - Pre-poured medium                         | BM15908 | 20 plates Ø 55 mm              |
| BAIRD PARKER Agar with Egg Yolk and Tellurite - Pre-poured medium | BM01808 | 20 plates Ø 90 mm              |
| Brain-Heart Broth                                                 | BK015HA | 500 g                          |
| Lyophilized coagulase rabbit plasma                               | BR00208 | 10 vials pack for 20 reactions |

## Streptococcus, Enterococcus

|                                                          |         |                          |
|----------------------------------------------------------|---------|--------------------------|
| Ethyl violet azide (LITSKY) Broth                        | BK061HA | 500 g                    |
| Azide Dextrose Broth (acc. to ROTHE)                     | BK060HA | 500 g                    |
| SLANETZ and BARTLEY Agar - Pre-poured medium             | BM09408 | 120 plates Ø 55 mm       |
| SLANETZ and BARTLEY Agar - Pre-poured medium             | BM14608 | 20 plates Ø 55 mm        |
| SLANETZ and BARTLEY Agar                                 | BK037HA | 500 g                    |
| SLANETZ and BARTLEY Agar - Dehydrated base medium        | BK129HA | 500 g                    |
| TTC supplement 50 mg                                     | BS02708 | 10 vials pack qsp 500 mL |
| KF <i>Streptococcus</i> Agar - Dehydrated base medium    | BK132HA | 500 g                    |
| * TTC supplement 50 mg                                   | BS02708 | 10 vials pack qsp 500 mL |
| BEA Agar - Ready-to-melt medium                          | BM10408 | 10 × 100 mL in vials     |
| BEA Agar                                                 | BK158HA | 500 g                    |
| <b>COMPASS® Enterococcus Agar</b>                        | BK183HA | 500 g                    |
| <b>COMPASS® Enterococcus Agar - Ready-to-melt medium</b> | BM11608 | 10 × 100 mL in vials     |
| <b>COMPASS® Enterococcus Agar - Pre-poured medium</b>    | BM15708 | 20 plates Ø 55 mm        |
| Microplate MUD/SF                                        | BT00308 | 25 opaque microplates    |

## Vibrio

|           |         |       |
|-----------|---------|-------|
| TCBS Agar | BK040HA | 500 g |
|-----------|---------|-------|

## Yeasts and molds

|                                                                          |         |                          |
|--------------------------------------------------------------------------|---------|--------------------------|
| Non-animal malt extract broth                                            | BK205GC | 5 kg                     |
| Non-animal malt extract broth                                            | BK205HA | 500 g                    |
| Sabouraud Dextrose Broth                                                 | BK026HA | 500 g                    |
| Malt Agar                                                                | BK045HA | 500 g                    |
| Orange Serum Agar (OSA)                                                  | BK103HA | 500 g                    |
| Wort Agar - Dehydrated base medium                                       | BK013HA | 500 g                    |
| Sabouraud Dextrose Agar                                                  | BK025HA | 500 g                    |
| * Gentamicin 25 mg selective supplement                                  | BS00908 | 10 vials pack            |
| * Chloramphenicol 50 mg selective supplement                             | BS02108 | 10 vials pack            |
| Sabouraud Dextrose Chloramphenicol Agar (SDCA) - Pre-poured medium       | BM17608 | 20 plates Ø 90 mm        |
| Sabouraud Chloramphenicol Agar                                           | BK027HA | 500 g                    |
| Oxytetracycline glucose Agar (OGA) - Ready-to-melt base medium           | BM02208 | 10 x 110 mL in vials     |
| Oxytetracycline glucose Agar (OGA)                                       | BK053HA | 500 g                    |
| * Oxytetracycline 50 mg selective supplement                             | BS00808 | 10 vials pack qsp 550 mL |
| Potato Dextrose Agar (PDA)                                               | BK095HA | 500 g                    |
| Rose Bengal Chloramphenicol Agar                                         | BK151HA | 500 g                    |
| Dichloran-Glycerol (DG18) Agar - Dehydrated base medium                  | BK170HA | 500 g                    |
| Dichloran-Glycerol (DG18) Agar - Ready-to-melt medium                    | BM10908 | 10 × 100 mL in vials     |
| Dichloran Rose Bengal Chloramphenicol (DRBC) Agar                        | BK198HA | 500 g                    |
| Dichloran Rose Bengal Chloramphenicol (DRBC) Agar - Ready-to-melt medium | BM14208 | 10 × 200 mL in vials     |
| Chloramphenicol glucose Agar                                             | BK007HA | 500 g                    |
| Chloramphenicol glucose Agar - Ready-to-melt medium                      | BM02108 | 10 × 100 mL in vials     |
| Chloramphenicol glucose Agar - Ready-to-melt medium                      | BM07908 | 10 × 200 mL in vials     |
| * Gentamicin 25 mg selective supplement                                  | BS00908 | 10 vials pack            |

| Designation | Code | Packaging |
|-------------|------|-----------|
|-------------|------|-----------|

## Antibiotic susceptibility testing

|                       |         |       |
|-----------------------|---------|-------|
| MUELLER-HINTON Broth  | BK108HA | 500 g |
| MUELLER-HINTON Agar   | BK048HA | 500 g |
| WILKINS-CHALGREN Agar | BK101HA | 500 g |

## Blood agar base

|                                        |         |       |
|----------------------------------------|---------|-------|
| Columbia Agar - Dehydrated base medium | BK019HA | 500 g |
| Tryptone-Soy Agar (Blood Agar base)    | BK028HA | 500 g |
| Brain-Heart Agar                       | BK029HA | 500 g |

## Culture media base

|                                        |         |       |
|----------------------------------------|---------|-------|
| Bacteriological Agar type A            | A1010GC | 5 kg  |
| Bacteriological Agar type A            | A1010HA | 500 g |
| Bacteriological Agar type E            | A1012GC | 5 kg  |
| Bacteriological Agar type E            | A1012HA | 500 g |
| Bacteriological malt extract           | A1101GC | 5 kg  |
| Bacteriological malt extract           | A1101HA | 500 g |
| Yeast extract                          | A1202GC | 5 kg  |
| Yeast extract                          | A1202HA | 500 g |
| Tryptone USP                           | A1401GC | 5 kg  |
| Tryptone USP                           | A1401HA | 500 g |
| Pancreatic Hydrolysate of Casein Codex | A1402GC | 5 kg  |
| Pancreatic Hydrolysate of Casein Codex | A1402HA | 500 g |
| Acid Hydrolysate of Casein             | A1404HA | 500 g |
| Papaic digest of soybean meal USP      | A1601HA | 500 g |
| Pancreatic digest of meat type 2       | A1702HA | 500 g |
| Peptic digest of meat USP              | A1708HA | 500 g |
| Bacteriological meat extract           | A1710HA | 500 g |

## Accessory

|                                             |         |      |
|---------------------------------------------|---------|------|
| Stainless steel connector for flexible bags | BA00208 | Unit |
|---------------------------------------------|---------|------|

## Water range

|                                                                         |         |                              |
|-------------------------------------------------------------------------|---------|------------------------------|
| Sterile distilled water                                                 | BM11508 | 50 × 18 mL in tubes          |
| Acetamide Broth - Ready-to-use                                          | BM09508 | 7 × 5 mL in tubes            |
| Bromcresol Purple Lactose Broth                                         | BK119HA | 500 g                        |
| Laurylsulfate-Tryptose Broth                                            | BK010HA | 500 g                        |
| Laurylsulfate-Tryptose single strength Broth - Ready-to-use medium      | BM09708 | 50 × 10 mL with Durham tubes |
| Laurylsulfate-Tryptose double strength Broth - Ready-to-use medium      | BM09808 | 50 × 10 mL with Durham tubes |
| Brilliant Green Bile Broth (BGBB)                                       | BK002HA | 500 g                        |
| Brilliant Green Bile Broth (BGBB) single strength - Ready-to-use medium | BM01108 | 50 × 10 mL with Durham tubes |
| MKTTn Broth - Ready-to-use medium                                       | BM07808 | 50 × 10 mL in tubes          |
| Tryptophan Broth                                                        | BK163HA | 500 g                        |
| Tryptophan Broth - Ready-to-use medium                                  | BM07608 | 50 × 3 mL in tubes           |
| * Novobiocin 10 mg selective supplement                                 | BS03308 | 10 vials pack                |
| * Novobiocin 40 mg selective supplement                                 | BS05608 | 8 vials pack                 |
| RAPPAPORT-VASSILIADIS Soja (RVS) Broth - Ready-to-use medium            | BM07408 | 50 × 10 mL in tubes          |
| BAIRD-PARKER Agar - Dehydrated base medium                              | BK055HA | 500 g                        |
| BAIRD-PARKER Agar - Dehydrated base medium                              | BK055GC | 5 kg                         |

| Designation                                                                                                  | Code    | Packaging                                                                        |
|--------------------------------------------------------------------------------------------------------------|---------|----------------------------------------------------------------------------------|
| * Rabbit Plasma Fibrinogen (RPF) supplement                                                                  | BS03408 | 8 vials pack (1 vial qsp 100 mL)                                                 |
| * Rabbit Plasma Fibrinogen (RPF) supplement                                                                  | BS03808 | 1 vial qsp 500 mL                                                                |
| BAIRD-PARKER RPF Agar - Pre-poured medium                                                                    | BM06708 | 20 plates Ø 90 mm                                                                |
| BAIRD-PARKER RPF Agar - Pre-poured medium                                                                    | BM15908 | 20 plates Ø 55 mm                                                                |
| BAIRD-PARKER RPF Agar                                                                                        | BT00508 | 6 × 90 mL vials of base medium ready-to-melt + 6 vials of RPF suppl. qsp 100 mL  |
| BAIRD-PARKER RPF Agar                                                                                        | BT01008 | 6 × 180 mL vials of base medium ready-to-melt + 6 vials of RPF suppl. qsp 200 mL |
| BAIRD PARKER Agar with Egg Yolk and Tellurite - Pre-poured medium                                            | BM01808 | 20 plates Ø 90 mm                                                                |
| BAIRD PARKER Agar with Egg Yolk and Tellurite - Pre-poured medium                                            | BM09108 | 120 plates Ø 90 mm                                                               |
| BEA Agar                                                                                                     | BK158HA | 500 g                                                                            |
| BEA Agar - Ready-to-melt medium                                                                              | BM10408 | 10 × 100 mL in vials                                                             |
| BCYE Agar for <i>Legionella</i> NEN                                                                          | BM07208 | 20 plates Ø 90 mm                                                                |
| BCYE Agar for <i>Legionella</i> NEN                                                                          | BM07308 | 20 plates Ø 90 mm                                                                |
| Mannitol salt Agar                                                                                           | BK030HA | 500 g                                                                            |
| Mannitol salt Agar - Pre-poured medium                                                                       | BM14808 | 20 plates Ø 55 mm                                                                |
| CN Agar for <i>Pseudomonas</i> - Dehydrated base medium (with Cetrimide and Nalidixic acid without glycerol) | BK165HA | 500 g                                                                            |
| CN Agar for <i>Pseudomonas</i> - Pre-poured medium                                                           | BM14508 | 20 plates Ø 55 mm                                                                |
| Meat-liver glucose Agar                                                                                      | BK157HA | 500 g                                                                            |
| GVPC Agar for <i>Legionella</i> - Pre-poured medium                                                          | BM07108 | 20 plates Ø 90 mm                                                                |
| KING B Agar - Ready-to-melt medium                                                                           | BM10508 | 7 × 7 mL in tubes                                                                |
| Bromcresol Purple Lactose Agar                                                                               | BK023HA | 500 g                                                                            |
| Tergitol 7 Agar - Dehydrated base medium                                                                     | BK123HA | 500 g                                                                            |
| Tergitol 7 Agar - Pre-poured medium                                                                          | BM14708 | 20 plates Ø 55 mm                                                                |
| Tergitol 7 Agar - Pre-poured medium                                                                          | BM09308 | 120 plates Ø 55 mm                                                               |
| Yeast extract Agar                                                                                           | BK153HA | 500 g                                                                            |
| Yeast extract Agar - Ready-to-melt medium                                                                    | BM06808 | 10 × 200 mL in vials                                                             |
| Microplate MUG/EC                                                                                            | BT00108 | 25 opaque microplates                                                            |
| Microplate MUD/SF                                                                                            | BT00308 | 25 opaque microplates                                                            |
| Nutrient Agar 2.5 % - Ready-to-melt medium                                                                   | BM12508 | 50 × 18 mL in tubes                                                              |
| Lyophilized coagulase rabbit plasma                                                                          | BR00208 | 10 vials pack for 20 reactions                                                   |
| Synthetic sea salt                                                                                           | BR00308 | 100 g                                                                            |
| Synthetic sea salt with Bromphenol blue - Ready-to-use medium                                                | BM08808 | 50 × 18 mL in tubes                                                              |
| SLANETZ and BARTLEY Agar - Dehydrated base medium                                                            | BK129HA | 500 g                                                                            |
| SLANETZ and BARTLEY Agar                                                                                     | BK037HA | 500 g                                                                            |
| SLANETZ and BARTLEY Agar - Pre-poured medium                                                                 | BM14608 | 20 plates Ø 55 mm                                                                |
| SLANETZ and BARTLEY Agar - Pre-poured medium                                                                 | BM09408 | 120 plates Ø 55 mm                                                               |
| Ringer's solution (1/4 strength)                                                                             | BR00108 | 100 tablets                                                                      |
| Sulfamethazine 25 mg selective supplement                                                                    | BS02808 | 10 vials pack qsp 500 mL                                                         |
| Tryptone-Soy Agar (Blood Agar base)                                                                          | BK028HA | 500 g                                                                            |
| TSC Agar - Dehydrated base medium                                                                            | BK031HA | 500 g                                                                            |
| TSC Agar - Ready-to-use base medium                                                                          | BM03908 | 50 × 20 mL in tubes                                                              |
| TSC Agar - Ready-to-melt base medium                                                                         | BM07708 | 10 × 200 mL in vials                                                             |
| TSI Agar                                                                                                     | BK059HA | 500 g                                                                            |
| * TTC supplement 12.5 mg                                                                                     | BS02608 | 10 vials pack                                                                    |
| * TTC supplement 50 mg                                                                                       | BS02708 | 10 vials pack qsp 500 mL                                                         |
| XLD Agar (ISO 6579)                                                                                          | BK168HA | 500 g                                                                            |
| XLD Agar (ISO 6579) - Pre-poured medium                                                                      | BM08708 | 20 plates Ø 90 mm                                                                |
| <b>IRIS <i>Salmonella</i>® Agar - Pre-poured medium</b>                                                      | BM16008 | 20 plates Ø 90 mm                                                                |



| Designation                                              | Code    | Packaging                |
|----------------------------------------------------------|---------|--------------------------|
| <b>IRIS Salmonella® Agar - Pre-poured medium</b>         | BM16108 | 120 plates Ø 90 mm       |
| <b>COMPASS® Salmonella Agar - Pre-poured medium</b>      | BM06608 | 20 plates Ø 90 mm        |
| <b>COMPASS® cc Agar - Pre-poured medium</b>              | BM15308 | 20 plates Ø 55 mm        |
| <b>COMPASS® cc Agar - base</b>                           | BK210HA | 500 g                    |
| <b>* COMPASS® cc Agar - Selective supplement</b>         | BS08408 | 10 vials pack qsp 500 mL |
| <b>COMPASS® Enterococcus Agar</b>                        | BK183HA | 500 g                    |
| <b>COMPASS® Enterococcus Agar - Ready-to-melt medium</b> | BM11608 | 10 × 100 mL in vials     |
| <b>COMPASS® Enterococcus Agar - Pre-poured medium</b>    | BM15708 | 20 plates Ø 55 mm        |

## Cosmetics range

|                                                                       |         |                                     |
|-----------------------------------------------------------------------|---------|-------------------------------------|
| Peptone water 0.1 %                                                   | BM16408 | 2 x 5 L in flexible bags            |
| Tryptone-salt Broth (Maximum Recovery Diluent) - Ready-to-use medium  | BM00809 | 50 × 9 mL in tubes                  |
| Tryptone-salt Broth (Maximum Recovery Diluent) - Ready-to-use medium  | BM11408 | 10 × 90 mL in vials                 |
| Tryptone-salt Broth (Maximum Recovery Diluent) - Ready-to-use medium  | BM13508 | 3 × 3 L in flexible bags            |
| Trypto-casein Soy Broth (TSB) - Ready-to-use medium                   | BM03008 | 50 × 10 mL in tubes                 |
| Trypto-casein Soy Broth (TSB) - Ready-to-use medium                   | BM00908 | 10 × 100 mL in vials                |
| Trypto-casein Soy Broth (TSB) - Ready-to-use medium                   | BM17908 | 10 x 90 mL in vials                 |
| Trypto-casein Soy Broth (TSB) - Ready-to-use medium                   | BM16608 | 2 x 5 L in flexible bags            |
| Lactose Broth                                                         | BK082HA | 500 g                               |
| Eugon LT 100 Broth - Ready-to-use medium                              | BM00608 | 50 × 9 mL in tubes                  |
| Eugon LT 100 Broth - Ready-to-use medium                              | BM17508 | 50 x 9 mL in tubes with glass beads |
| Eugon LT 100 Broth - Ready-to-use medium                              | BM04308 | 10 × 100 mL in vials                |
| Eugon LT 100 Agar - Pre-poured medium                                 | BM17008 | 20 plates Ø 90 mm                   |
| Eugon LT 100 Agar - Ready-to-melt medium                              | BM04508 | 10 × 200 mL in vials                |
| BAIRD-PARKER Agar - Dehydrated base medium                            | BK055HA | 500 g                               |
| BAIRD-PARKER Agar - Dehydrated base medium                            | BK055GC | 5 kg                                |
| * Sterile Egg Yolk Tellurite Enrichment                               | BS06008 | 10 × 50 mL in vials                 |
| BAIRD PARKER Agar with Egg Yolk and Tellurite - Pre-poured medium     | BM01808 | 20 plates Ø 90 mm                   |
| BAIRD PARKER Agar with Egg Yolk and Tellurite - Pre-poured medium     | BM09108 | 120 plates Ø 90 mm                  |
| Cetrimide Agar - Dehydrated base medium (without glycerol)            | BK049HA | 500 g                               |
| Mannitol salt Agar                                                    | BK030HA | 500 g                               |
| EMB Agar (LEVINE)                                                     | BK056HA | 500 g                               |
| Potato Dextrose Agar (PDA)                                            | BK095HA | 500 g                               |
| * Chloramphenicol 50 mg selective supplement                          | BS02108 | 10 vials pack                       |
| MacCONKEY Agar - ready-to-melt medium                                 | BM18008 | 10 x 100 mL in vials                |
| Sabouraud Dextrose Agar (SDA) - Pre-poured medium                     | BM17308 | 20 plates Ø 90 mm                   |
| Sabouraud Dextrose Agar (SDA) - Pre-poured medium                     | BM17408 | 120 plates Ø 90 mm                  |
| Sabouraud Dextrose Agar (SDA) - Ready-to-melt medium                  | BM05308 | 10 x 200 mL in vilas                |
| Sabouraud Dextrose Chloramphenicol Agar (SDCA) - Ready-to-melt medium | BM17608 | 20 plates Ø 90 mm                   |
| Sabouraud Dextrose Chloramphenicol Agar (SDCA) - Ready-to-melt medium | BM17208 | 10 x 200 mL in vilas                |
| Sabouraud Dextrose Chloramphenicol Agar (SDCA) - Ready-to-melt medium | BM17708 | 120 plates Ø 90 mm                  |
| Sabouraud Dextrose Agar                                               | BK025HA | 500 g                               |
| * Gentamicin 25 mg selective supplement                               | BS00908 | 10 vials pack                       |
| * Chloramphenicol 50 mg selective supplement                          | BS02108 | 10 vials pack                       |
| Trypto-casein Soy Agar (TSA) - Pre-poured medium                      | BM05008 | 20 plates Ø 90 mm                   |
| Trypto-casein Soy Agar (TSA) - Pre-poured medium                      | BM17808 | 120 plates Ø 90 mm                  |
| Trypto-casein Soy Agar (TSA) - Ready-to-melt medium                   | BM01708 | 10 × 100 mL in vials                |
| Trypto-casein Soy Agar (TSA) - Ready-to-melt medium                   | BM04908 | 10 × 200 mL in vials                |

| Designation                                                             | Code    | Packaging                                                                        |
|-------------------------------------------------------------------------|---------|----------------------------------------------------------------------------------|
| <b>A</b>                                                                |         |                                                                                  |
| Acetamide Broth - Ready-to-use                                          | BM09508 | 7 × 5 mL in tubes                                                                |
| Acid Hydrolysate of Casein                                              | A1404HA | 500 g                                                                            |
| Azide Dextrose Broth (acc. to ROTHE)                                    | BK060HA | 500 g                                                                            |
| <b>B</b>                                                                |         |                                                                                  |
| <i>Bacillus cereus</i> Agar (acc. to Mossel) - Dehydrated base medium   | BK116HA | 500 g                                                                            |
| * Egg Yolk Emulsion with Polymyxin B                                    | BS05508 | 10 × 50 mL in vials                                                              |
| * Egg Yolk Enrichment                                                   | BS06608 | 10 × 50 mL in vials                                                              |
| * Polymyxin B selective supplement                                      | BS00708 | 10 vials pack                                                                    |
| <i>Bacillus cereus</i> (acc. to Mossel) - Pre-poured medium             | BM03808 | 20 plates Ø 90 mm                                                                |
| Bacteriological Agar type A                                             | A1010HA | 500 g                                                                            |
|                                                                         | A1010GC | 5 kg                                                                             |
| Bacteriological Agar type E                                             | A1012HA | 500 g                                                                            |
|                                                                         | A1012GC | 5 kg                                                                             |
| Bacteriological malt extract                                            | A1101HA | 500 g                                                                            |
|                                                                         | A1101GC | 5 kg                                                                             |
| Bacteriological meat extract                                            | A1710HA | 500 g                                                                            |
| BAIRD-PARKER Agar - Dehydrated base medium                              | BK055HA | 500 g                                                                            |
|                                                                         | BK055GC | 5 kg                                                                             |
| * Sterile Egg Yolk Tellurite Enrichment                                 | BS06008 | 10 × 50 mL in vials                                                              |
| * Sulfamethazine 25 mg selective supplement                             | BS02808 | 10 vials pack qsp 500 mL                                                         |
| BAIRD PARKER Agar with Egg Yolk and Tellurite - Pre-poured medium       | BM01808 | 20 plates Ø 90 mm                                                                |
|                                                                         | BM09108 | 120 plates Ø 90 mm                                                               |
| * Rabbit Plasma Fibrinogen (RPF) supplement                             | BS03408 | 8 vials pack (1 vial qsp 100 mL)                                                 |
|                                                                         | BS03808 | 1 vial qsp 500 mL                                                                |
| BAIRD-PARKER RPF Agar                                                   | BT00508 | 6 × 90 mL vials of base medium ready-to-melt + 6 vials of RPF suppl. qsp 100 mL  |
| BAIRD-PARKER RPF Agar                                                   | BT01008 | 6 × 180 mL vials of base medium ready-to-melt + 6 vials of RPF suppl. qsp 200 mL |
| BAIRD-PARKER RPF Agar - Pre-poured medium                               | BM06708 | 20 plates Ø 90 mm                                                                |
| BAIRD-PARKER RPF Agar - Pre-poured medium                               | BM15908 | 20 plates Ø 55 mm                                                                |
| BCP Dextrose Agar - Ready-to-melt medium                                | BM16808 | 10 × 200 mL in vials                                                             |
| BCYE Agar for <i>Legionella</i> - Pre-poured medium                     | BM11208 | 20 plates Ø 90 mm                                                                |
| BCYE Agar without cysteine for <i>Legionella</i> - Pre-poured medium    | BM11308 | 20 plates Ø 90 mm                                                                |
| BCYE Agar for <i>Legionella</i> NEN                                     | BM07208 | 20 plates Ø 90 mm                                                                |
| BCYE Agar for <i>Legionella</i> NEN                                     | BM07308 | 20 plates Ø 90 mm                                                                |
| BEA Agar                                                                | BK158HA | 500 g                                                                            |
| BEA Agar - Ready-to-melt medium                                         | BM10408 | 10 × 100 mL in vials                                                             |
| Brain-Heart Agar                                                        | BK029HA | 500 g                                                                            |
| Brain-Heart Broth                                                       | BK015HA | 500 g                                                                            |
| Lyophilized coagulase rabbit plasma                                     | BR00208 | 10 vials pack for 20 reactions                                                   |
| Brilliant Green Agar (EDEL and KAMPELMACHER)                            | BK091HA | 500 g                                                                            |
| Brilliant Green Agar (KRISTENSEN)                                       | BK071HA | 500 g                                                                            |
| Brilliant Green Bile Broth (BGBB)                                       | BK002HA | 500 g                                                                            |
| * MUG 50 mg supplement                                                  | BS02408 | 10 vials pack                                                                    |
| Brilliant Green Bile Broth (BGBB) single strength - Ready-to-use medium | BM01108 | 50 × 10 mL with Durham tubes                                                     |
| Bromcresol Purple Lactose Broth                                         | BK119HA | 500 g                                                                            |
| Bromcresol Purple Lactose Agar                                          | BK023HA | 500 g                                                                            |
| BRYANT and BURKEY Broth with resazurin (modified acc. to BERGERE)       | BK141HA | 500 g                                                                            |
|                                                                         | BK141GC | 5 kg                                                                             |
| Buffered peptone Broth with sodium chloride pH 7.0                      | BK128HA | 500 g                                                                            |
| Buffered peptone water (20 g/L)                                         | BK131HA | 500 g                                                                            |

| Designation                                                                                                  | Code    | Packaging                                                                                                            |
|--------------------------------------------------------------------------------------------------------------|---------|----------------------------------------------------------------------------------------------------------------------|
| Buffered peptone water (20 g/L)                                                                              | BK131GC | 5 kg                                                                                                                 |
| Buffered peptone water (25.5 g/L)                                                                            | BK018HA | 500 g                                                                                                                |
| Buffered peptone water (25.5 g/L)                                                                            | BK018GC | 5 kg                                                                                                                 |
| Buffered peptone water (25.5 g/L) - Ready-to-use medium                                                      | BM01008 | 10 × 225 mL in vials                                                                                                 |
| Buffered peptone water (25.5 g/L) - Ready-to-use medium                                                      | BM05608 | 50 × 9 mL in tubes                                                                                                   |
| Buffered peptone water (25.5 g/L) - Ready-to-use medium                                                      | BM05708 | 10 × 90 mL in vials                                                                                                  |
| Buffered peptone water (25.5 g/L) - Ready-to-use medium                                                      | BM13108 | 3 × 3 L in flexible bags                                                                                             |
| Buffered peptone water (25.5 g/L) - Ready-to-use medium                                                      | BM13208 | 2 × 5 L in flexible bags                                                                                             |
| BUTTIAUX-BROGNIART hypersalted Broth (double strength)                                                       | BK081HA | 500 g                                                                                                                |
| <b>C</b>                                                                                                     |         |                                                                                                                      |
| Cetrimide Agar - Dehydrated base medium (without glycerol)                                                   | BK049HA | 500 g                                                                                                                |
| Cefixime-tellurite supplement for CT-SMAC Agar                                                               | BS03708 | 10 vials pack qsp 500 mL                                                                                             |
| CFC Agar - Dehydrated base medium                                                                            | BK118HA | 500 g                                                                                                                |
| CFC Agar - Ready-to-melt base medium                                                                         | BM09608 | 10 × 200 mL in vials                                                                                                 |
| * CFC selective supplement                                                                                   | BS02208 | 10 vials pack qsp 500 mL                                                                                             |
| Chloramphenicol glucose Agar                                                                                 | BK007HA | 500 g                                                                                                                |
| Chloramphenicol glucose Agar - Ready-to-melt medium                                                          | BM02108 | 10 × 100 mL in vials                                                                                                 |
| Chloramphenicol glucose Agar - Ready-to-melt medium                                                          | BM07908 | 10 × 200 mL in vials                                                                                                 |
| * Gentamicin 25 mg selective supplement                                                                      | BS00908 | 10 vials pack                                                                                                        |
| * Chloramphenicol 50 mg selective supplement                                                                 | BS02108 | 10 vials pack                                                                                                        |
| CLED Agar                                                                                                    | BK020HA | 500 g                                                                                                                |
| CN Agar for <i>Pseudomonas</i> - Dehydrated base medium (with Cetrimide and Nalidixic acid without glycerol) | BK165HA | 500 g                                                                                                                |
| CN Agar for <i>Pseudomonas</i> - Pre-poured medium                                                           | BM14508 | 20 plates Ø 55 mm                                                                                                    |
| Columbia Agar - Dehydrated base medium                                                                       | BK019HA | 500 g                                                                                                                |
| COMPASS® <i>Bacillus cereus</i> Agar - Pre-poured medium                                                     | BM12608 | 20 plates Ø 90 mm                                                                                                    |
| COMPASS® <i>Bacillus cereus</i> Agar - Ready-to-melt base medium                                             | BM13008 | 10 × 100 mL in vials                                                                                                 |
| * COMPASS® <i>Bacillus cereus</i> - Selective supplement                                                     | BS06908 | 10 vials pack qsp 100 mL                                                                                             |
| COMPASS® <i>Bacillus cereus</i> Agar                                                                         | BK189HA | 500 g                                                                                                                |
| * COMPASS® <i>Bacillus cereus</i> - Selective supplement                                                     | BS08508 | 10 vials pack qsp 500 mL                                                                                             |
| COMPASS® cc Agar - Pre-poured medium                                                                         | BM15308 | 20 plates Ø 55 mm                                                                                                    |
| COMPASS® cc Agar                                                                                             | BK210HA | 500 g                                                                                                                |
| * COMPASS® cc Agar - Selective supplement                                                                    | BS08408 | 10 vials pack qsp 500 mL                                                                                             |
| COMPASS® Ecc Agar - Dehydrated medium                                                                        | BK202HA | 500 g                                                                                                                |
| COMPASS® <i>Enterobacter sakazakii</i> Agar                                                                  | BK188HA | 500 g                                                                                                                |
| COMPASS® <i>Enterobacter sakazakii</i> Agar - Pre-poured medium                                              | BM12008 | 20 plates Ø 90 mm                                                                                                    |
| COMPASS® <i>Enterococcus</i> Agar                                                                            | BK183HA | 500 g                                                                                                                |
| COMPASS® <i>Enterococcus</i> Agar - Ready-to-melt medium                                                     | BM11608 | 10 × 100 mL in vials                                                                                                 |
| COMPASS® <i>Enterococcus</i> Agar - Pre-poured medium                                                        | BM15708 | 20 plates Ø 55 mm                                                                                                    |
| COMPASS® <i>Listeria</i> Agar                                                                                | BT00808 | 6 × 200 mL base medium in vials + 6 vials of selective suppl. qsp 200 mL m + 6 vials of enrichment suppl. qsp 200 mL |
| COMPASS® <i>Listeria</i> Agar - Pre-poured medium                                                            | BM12308 | 20 plates Ø 90 mm                                                                                                    |
| COMPASS® <i>Listeria</i> Agar - Pre-poured medium                                                            | BM12408 | 120 plates Ø 90 mm                                                                                                   |
| COMPASS® <i>Listeria</i> Agar (base)                                                                         | BK192HA | 500 g                                                                                                                |
| COMPASS® <i>Listeria</i> Agar - Enrichment supplement - liquid                                               | BS07008 | 8 vials pack qsp 1 L                                                                                                 |
| COMPASS® <i>Listeria</i> Agar - Selective supplement - lyophilised                                           | BS07108 | 8 vials pack qsp 1 L                                                                                                 |
| COMPASS® <i>Salmonella</i> Agar - Pre-poured medium                                                          | BM06608 | 20 plates Ø 90 mm                                                                                                    |
| CONFIRM' <i>L. mono</i> Agar® - Pre-poured medium                                                            | BM13908 | 10 plates Ø 90 mm                                                                                                    |
| CONFIRM' <i>L. mono</i> Broth                                                                                | BM16208 | 18 × 1 mL in vials                                                                                                   |
| CONFIRM' <i>Salmonella</i> - Latex agglutination kit                                                         | BT01108 | 50 tests                                                                                                             |
| Count-tact Agar                                                                                              | BK130HA | 500 g                                                                                                                |
| Stainless steel connector for flexible bags                                                                  | BA00208 | Unit                                                                                                                 |

| Designation                                                              | Code    | Packaging                |
|--------------------------------------------------------------------------|---------|--------------------------|
| <b>D</b>                                                                 |         |                          |
| D-cycloserine 200 mg selective supplement                                | BS00608 | 10 vials pack qsp 500 mL |
| Desoxycholate lactose Agar                                               | BK065HA | 500 g                    |
| Desoxycholate (0.1 %) lactose Agar                                       | BK062HA | 500 g                    |
| Dextrose Tryptone Agar                                                   | BK042HA | 500 g                    |
| Dichloran-Glycerol (DG18) Agar - Dehydrated base medium                  | BK170HA | 500 g                    |
| Dichloran-Glycerol (DG18) Agar - Ready-to-melt medium                    | BM10908 | 10 × 100 mL in vials     |
| Dichloran Rose Bengal Chloramphenicol (DRBC) Agar                        | BK198HA | 500 g                    |
| Dichloran Rose Bengal Chloramphenicol (DRBC) Agar - Ready-to-melt medium | BM14208 | 10 × 200 mL in vials     |
| DRIGALSKI lactose Agar                                                   | BK036HA | 500 g                    |

|                                          |         |                                     |
|------------------------------------------|---------|-------------------------------------|
| <b>E</b>                                 |         |                                     |
| EC Broth                                 | BK162HA | 500 g                               |
| EE Broth (acc. to MOSSEL)                | BK127HA | 500 g                               |
| Egg Yolk Enrichment                      | BS06608 | 10 × 50 mL in vials                 |
| Egg Yolk Emulsion with Polymyxin B       | BS05508 | 10 × 50 mL in vials                 |
| Elliker Broth                            | BK054HA | 500 g                               |
| EMB Agar (LEVINE)                        | BK056HA | 500 g                               |
| ENDO Agar                                | BK057HA | 500 g                               |
| Ethyl violet azide (LITSKY) Broth        | BK061HA | 500 g                               |
| Eugon Broth                              | BK068HA | 500 g                               |
| Eugon LT 100 Broth                       | BK137HA | 500 g                               |
| Eugon LT 100 Broth - Ready-to-use medium | BM00608 | 50 × 9 mL in tubes                  |
|                                          | BM17508 | 50 × 9 mL in tubes with glass beads |
|                                          | BM04308 | 10 × 100 mL in vials                |
| Eugon LT 100 Agar                        | BK138HA | 500 g                               |
| Eugon LT 100 Agar - Pre-poured medium    | BM17008 | 20 plates Ø 90 mm                   |
| Eugon LT 100 Agar - Ready-to-melt medium | BM04508 | 10 × 200 mL in vials                |

|                                                  |         |                          |
|--------------------------------------------------|---------|--------------------------|
| <b>F</b>                                         |         |                          |
| FRASER Broth - Dehydrated base medium            | BK115HA | 500 g                    |
| * Sterile ferric ammonium citrate 5 % supplement | BS05908 | 10 × 90 mL in vials      |
|                                                  | BS06208 | 7 × 10 mL in tubes       |
| FRASER Broth - Ready-to-use medium               | BM01308 | 50 × 10 mL in tubes      |
| FRASER Broth (II) - Dehydrated base medium       | BK133HA | 500 g                    |
|                                                  | BK133GC | 5 kg                     |
| * FRASER selective supplement                    | BS03108 | 10 vials pack qsp 500 mL |
| * Half-FRASER selective supplement               | BS03008 | 10 vials pack qsp 500 mL |
|                                                  | BS03208 | 8 vials pack qsp 2.25 L  |
| Half-FRASER Broth - Dehydrated base medium       | BK173HA | 500 g                    |
|                                                  | BK173GC | 5 kg                     |
| * Sterile ferric ammonium citrate 5% supplement  | BS05908 | 10 × 90 mL in vials      |
|                                                  | BS06208 | 7 × 10 mL in tubes       |
| Half-FRASER Broth - Ready-to-use medium          | BM01608 | 10 × 225 mL in vials     |
|                                                  | BM13308 | 3 × 3 L in flexible bags |
|                                                  | BM13408 | 2 × 5 L in flexible bags |

|                                                                                 |         |                     |
|---------------------------------------------------------------------------------|---------|---------------------|
| <b>G</b>                                                                        |         |                     |
| Gentamicin 25 mg selective supplement                                           | BS00908 | 10 vials pack       |
| GIOLITTI and CANTONI Broth with Tween® 80 - Dehydrated base medium              | BK159HA | 500 g               |
| GIOLITTI and CANTONI with Tween® 80 single strength Broth - Ready-to-use medium | BM11008 | 50 × 10 mL in tubes |
| GIOLITTI and CANTONI with Tween® 80 double strength Broth - Ready-to-use medium | BM11108 | 50 × 10 mL in tubes |

| Designation                                                               | Code    | Packaging                      |
|---------------------------------------------------------------------------|---------|--------------------------------|
| <b>Glucose Agar</b> - Ready-to-melt medium                                | BM09908 | 50 × 10 mL in tubes            |
| <b>Glutamate Broth</b>                                                    | BK186HA | 500 g                          |
| <b>GVPC Agar for Legionella</b> - Pre-poured medium                       | BM07108 | 20 plates Ø 90 mm              |
| <b>H</b>                                                                  |         |                                |
| <b>Half-FRASER Broth</b> - Dehydrated base medium                         | BK173HA | 500 g                          |
|                                                                           | BK173GC | 5 kg                           |
| <b>* Sterile ferric ammonium citrate 5 % supplement</b>                   | BS05908 | 10 × 90 mL in vials            |
|                                                                           | BS06208 | 7 × 10 mL in tubes             |
| <b>Half-FRASER Broth</b> - Ready-to-use medium                            | BM01608 | 10 × 225 mL in vials           |
|                                                                           | BM13308 | 3 × 3 L in flexible bags       |
|                                                                           | BM13408 | 2 × 5 L in flexible bags       |
| <b>Hektoen Enteric Agar</b>                                               | BK067HA | 500 g                          |
| <b>I</b>                                                                  |         |                                |
| <b>IRIS Salmonella® Agar</b> - Pre-poured medium                          | BM16008 | 20 plates Ø 90 mm              |
|                                                                           | BM16108 | 120 plates Ø 90 mm             |
| <b>* IRIS Salmonella® supplement</b> - Tablets                            | BS07708 | 120 tablets                    |
| <b>* IRIS Salmonella® supplement</b> - Liquid                             | BS07808 | 10 × 50 mL in vials            |
| <b>K</b>                                                                  |         |                                |
| <b>KF Streptococcus Agar</b> - Dehydrated base medium                     | BK132HA | 500 g                          |
| <b>* TTC supplement 50 mg</b>                                             | BS02708 | 10 vials pack qsp 500 mL       |
| <b>KING B Agar</b> - Ready-to-melt medium                                 | BM10508 | 7 × 7 mL in tubes              |
| <b>KLIGLER Agar</b>                                                       | BK034HA | 500 g                          |
| <b>L</b>                                                                  |         |                                |
| <b>Lactose sulfite (LS) Broth</b>                                         | BK140HA | 500 g                          |
| <b>Laurylsulfate-Tryptose Broth</b>                                       | BK010HA | 500 g                          |
| <b>* MUG 50 mg supplement</b>                                             | BS02408 | 10 vials pack                  |
| <b>Laurylsulfate-Tryptose single strength Broth</b> - Ready-to-use medium | BM09708 | 50 × 10 mL with Durham tubes   |
| <b>Laurylsulfate-Tryptose double strength Broth</b> - Ready-to-use medium | BM09808 | 50 × 10 mL with Durham tubes   |
| <b>Legionella Agar NEN</b>                                                | BM08108 | 20 plates Ø 90 mm              |
| <b>Listeria enrichment Broth</b> (LEB acc. to FDA)                        | BK112HA | 500 g                          |
| <b>Listeria enrichment Broth</b> (LEB acc. to IDF)                        | BK124HA | 500 g                          |
| <b>Listeria enrichment Broth</b> (UVM I modified)                         | BK113HA | 500 g                          |
|                                                                           | BM16508 | 2 x 5 L in flexible bags       |
| <b>Lyophilized coagulase rabbit plasma</b>                                | BR00208 | 10 vials pack for 20 reactions |
| <b>Lactose Broth</b>                                                      | BK082HA | 500 g                          |
| <b>M</b>                                                                  |         |                                |
| <b>M 17 Broth</b>                                                         | BK012HA | 500 g                          |
| <b>M 17 Agar</b>                                                          | BK088HA | 500 g                          |
| <b>MacCONKEY Broth purple</b>                                             | BK107HA | 500 g                          |
| <b>MacCONKEY Broth</b>                                                    | BM18108 | 2 × 5 L in flexible bags       |
| <b>MacCONKEY Agar</b>                                                     | BK050HA | 500 g                          |
| <b>* MUG 50 mg supplement</b>                                             | BS02408 | 10 vials pack                  |
| <b>MacCONKEY Agar</b> - ready-to-melt medium                              | BM18008 | 10 x 100 mL in vials           |
| <b>MacCONKEY-sorbitol (CT-SMAC) Agar</b> - Dehydrated base medium         | BK147HA | 500 g                          |
| <b>* Cefixime-tellurite supplement for CT-SMAC Agar</b>                   | BS03708 | 10 vials pack qsp 500 mL       |
| <b>Malt Agar</b>                                                          | BK045HA | 500 g                          |
| <b>Mannitol salt Agar</b>                                                 | BK030HA | 500 g                          |
| <b>Mannitol salt Agar</b> - Pre-poured medium                             | BM14808 | 20 plates Ø 55 mm              |
| <b>MAYEUX SANDINE ELLIKER Agar</b> (MSE)                                  | BK087HA | 500 g                          |
| <b>Meat-liver glucose Agar</b>                                            | BK157HA | 500 g                          |

| Designation                                                                           | Code    | Packaging                |
|---------------------------------------------------------------------------------------|---------|--------------------------|
| <b>Meat liver glucose 0.6 % Agar</b>                                                  | BK024HA | 500 g                    |
| <b>Meat liver glucose agar with 2 g/L yeast extract</b>                               | BM16908 | 10 x 200 mL in vials     |
| <b>Meat-yeast Agar</b>                                                                | BK006HA | 500 g                    |
| <b>Microplate MUD/SF</b>                                                              | BT00308 | 25 opaque microplates    |
| <b>Sterile distilled water</b>                                                        | BM11508 | 50 x 18 mL in tubes      |
| <b>Synthetic sea salt</b>                                                             | BR00308 | 100 g                    |
| <b>Synthetic sea salt with Bromophenol blue - Ready-to-use medium</b>                 | BM08808 | 50 x 18 mL in tubes      |
| <b>Microplate MUG/EC</b>                                                              | BT00108 | 25 opaque microplates    |
| <b>Sterile distilled water</b>                                                        | BM11508 | 50 x 18 mL in tubes      |
| <b>Synthetic sea salt</b>                                                             | BR00308 | 100 g                    |
| <b>Synthetic sea salt with Bromphenol blue - Ready-to-use medium</b>                  | BM08808 | 50 x 18 mL in tubes      |
| <b>Modified Tryptone soy Broth (mTSB) - Dehydrated base medium</b>                    | BK150HA | 500 g                    |
| <b>* Novobiocin 10 mg selective supplement</b>                                        | BS03308 | 10 vials pack            |
| <b>Modified Lauryl Sulfate Tryptose (mLST) vancomycin Broth</b>                       | BK190HA | 500 g                    |
| <b>Modified Lauryl Sulfate Tryptose (mLST) vancomycin Broth - Ready-to-use medium</b> | BM12108 | 50 x 10 mL in tubes      |
| <b>MRS Broth</b>                                                                      | BK070HA | 500 g                    |
|                                                                                       | BK070GC | 5 kg                     |
| <b>MRS Broth (Non-animal)</b>                                                         | BK176HA | 500 g                    |
| <b>MRS Agar</b>                                                                       | BK089HA | 500 g                    |
| <b>MRS Agar pH 5.7 - Ready-to-melt medium</b>                                         | BM08908 | 10 x 200 mL in vials     |
| <b>MSRV Agar - Dehydrated base medium</b>                                             | BK134HA | 500 g                    |
| <b>* Novobiocin 10 mg selective supplement</b>                                        | BS03308 | 10 vials pack            |
| <b>* Novobiocin 40 mg selective supplement</b>                                        | BS05608 | 8 vials pack             |
| <b>MSRV Agar (ISO 6579)</b>                                                           | BK191HA | 500 g                    |
| <b>MSRV Agar (ISO 6579) - Ready-to-melt medium</b>                                    | BM12708 | 10 x 200 mL in vials     |
| <b>MUELLER-HINTON Broth</b>                                                           | BK108HA | 500 g                    |
| <b>MUELLER-HINTON Agar</b>                                                            | BK048HA | 500 g                    |
| <b>MUG 50 mg supplement</b>                                                           | BS02408 | 10 vials pack            |
| <b>MÜLLER-KAUFFMANN Broth - Dehydrated base medium</b>                                | BK135HA | 500 g                    |
| <b>* Novobiocin 10 mg selective supplement</b>                                        | BS03308 | 10 vials pack            |
| <b>* Novobiocin 40 mg selective supplement</b>                                        | BS05608 | 8 vials pack             |
| <b>MKTTn Broth - Dehydrated base medium</b>                                           | BK169HA | 500 g                    |
| <b>* Novobiocin 10 mg selective supplement</b>                                        | BS03308 | 10 vials pack            |
| <b>* Novobiocin 40 mg selective supplement</b>                                        | BS05608 | 8 vials pack             |
| <b>MKTTn Broth - Dehydrated base medium with novobiocine</b>                          | BK208HA | 500 g                    |
| <b>MKTTn Broth - Ready-to-use medium</b>                                              | BM07808 | 50 x 10 mL in tubes      |
| <b>N</b>                                                                              |         |                          |
| <b>Novobiocin 10 mg selective supplement</b>                                          | BS03308 | 10 vials pack            |
| <b>Novobiocin 40 mg selective supplement</b>                                          | BS05608 | 8 vials pack             |
| <b>Nutrient Broth</b>                                                                 | BK003HA | 500 g                    |
| <b>Nutrient Agar 2 %</b>                                                              | BK185HA | 500 g                    |
| <b>Nutrient Agar 2 % - Ready-to-melt medium</b>                                       | BM11808 | 50 x 18 mL in tubes      |
| <b>Nutrient Agar 2.5 % - Ready-to-melt medium</b>                                     | BM12508 | 50 x 18 mL in tubes      |
| <b>Non-animal Broth</b>                                                               | BK180HA | 500 g                    |
| <b>Non-animal malt extract broth</b>                                                  | BK205HA | 500 g                    |
|                                                                                       | BK205GC | 5 kg                     |
| <b>O</b>                                                                              |         |                          |
| <b>Orange Serum Agar (OSA)</b>                                                        | BK103HA | 500 g                    |
| <b>Oxford Agar - Dehydrated base medium</b>                                           | BK110HA | 500 g                    |
| <b>* Oxford selective supplement (CCCFA)</b>                                          | BS00308 | 10 vials pack qsp 500 mL |
| <b>Oxytetracycline glucose Agar (OGA)</b>                                             | BK053HA | 500 g                    |

| Designation                                                                  | Code    | Packaging                |
|------------------------------------------------------------------------------|---------|--------------------------|
| <b>Oxytetracycline glucose Agar (OGA)</b> - Ready-to-melt base medium        | BM02208 | 10 x 110 mL in vials     |
| <b>* Oxytetracycline 50 mg selective supplement</b>                          | BS00808 | 10 vials pack qsp 550 mL |
| <b>P</b>                                                                     |         |                          |
| <b>PALCAM Agar</b> - Dehydrated base medium                                  | BK145HA | 500 g                    |
| <b>* PALCAM selective supplement</b>                                         | BS00408 | 10 vials pack qsp 500 mL |
|                                                                              | BS04908 | 8 vials pack qsp 2.5 L   |
| <b>PALCAM Agar</b> - Pre-poured medium                                       | BM02008 | 20 plates Ø 90 mm        |
| <b>Pancreatic digest of meat type 2</b>                                      | A1702HA | 500 g                    |
| <b>Papaic digest of soybean meal USP</b>                                     | A1601HA | 500 g                    |
| <b>Pancreatic Hydrolysate of Casein Codex</b>                                | A1402HA | 500 g                    |
|                                                                              | A1402GC | 5 kg                     |
| <b>Peptic digest of meat USP</b>                                             | A1708HA | 500 g                    |
| <b>Peptone water 0.1 %</b>                                                   | BK084HA | 500 g                    |
|                                                                              | BM16408 | 2 x 5 L in flexible bags |
| <b>Plate count Agar (PCA)</b>                                                | BK144HA | 500 g                    |
|                                                                              | BK144GC | 5 kg                     |
| <b>Plate count Agar (PCA)</b> - Ready-to-melt medium                         | BM01508 | 10 x 100 mL in vials     |
|                                                                              | BM03308 | 10 x 200 mL in vials     |
| <b>* TTC supplement 12.5 mg</b>                                              | BS02608 | 10 vials pack            |
| <b>* TTC supplement 50 mg</b>                                                | BS02708 | 10 vials pack qsp 500 mL |
| <b>Plate count Agar with skimmed milk</b>                                    | BK161HA | 500 g                    |
| <b>Plate count Agar with skimmed milk</b> - Ready-to-melt medium             | BM08608 | 10 x 200 mL in vials     |
| <b>* TTC supplement 12.5 mg</b>                                              | BS02608 | 10 vials pack            |
| <b>* TTC supplement 50 mg</b>                                                | BS02708 | 10 vials pack qsp 500 mL |
| <b>Polymyxin B selective supplement</b>                                      | BS00708 | 10 vials pack            |
| <b>Potato Dextrose Agar (PDA)</b>                                            | BK095HA | 500 g                    |
| <b>Penicillin Pimaricine Agar (PPA)</b> - Pre-poured medium                  | BM15608 | 20 plates Ø 90 mm        |
| <b>R</b>                                                                     |         |                          |
| <b>Rabbit Plasma Fibrinogen (RPF) supplement</b>                             | BS03408 | 8 vials pack qsp 100 mL  |
|                                                                              | BS03808 | 1 vial qsp 500 mL        |
| <b>RAPPAPORT-VASSILIADIS Soja (RVS) Broth</b>                                | BK148HA | 500 g                    |
| <b>RAPPAPORT-VASSILIADIS Soja (RVS) Broth</b> - Ready-to-use medium          | BM07408 | 50 x 10 mL in tubes      |
| <b>Reinforced Clostridial Medium (RCM) Broth</b>                             | BK094HA | 500 g                    |
| <b>Reinforced Clostridial Agar</b>                                           | BK090HA | 500 g                    |
| <b>Ringer's solution (1/4 strength)</b>                                      | BR00108 | 100 tablets              |
| <b>RHAPSODY Agar®</b> - Pre-poured medium - NEW                              | BM16708 | 20 boîtes Ø 90 mm        |
| <b>ROGOSA Agar</b>                                                           | BK033HA | 500 g                    |
| <b>Rose Bengal Chloramphenicol Agar</b>                                      | BK151HA | 500 g                    |
| <b>S</b>                                                                     |         |                          |
| <b>Sabouraud Dextrose Broth</b>                                              | BK026HA | 500 g                    |
| <b>Sabouraud Dextrose Agar</b>                                               | BK025HA | 500 g                    |
| <b>* Chloramphenicol 50 mg selective supplement</b>                          | BS02108 | 10 vials pack            |
| <b>* Gentamicin 25 mg selective supplement</b>                               | BS00908 | 10 vials pack            |
| <b>Sabouraud Chloramphenicol Agar</b>                                        | BK027HA | 500 g                    |
| <b>Sabouraud Dextrose Agar (SDA)</b> - Pre-poured medium                     | BM17308 | 20 plates Ø 90 mm        |
| <b>Sabouraud Dextrose Agar (SDA)</b> - Pre-poured medium                     | BM17408 | 120 plates Ø 90 mm       |
| <b>Sabouraud Dextrose Agar (SDA)</b> - Ready-to-melt medium                  | BM05308 | 10 x 200 mL in vials     |
| <b>Sabouraud Dextrose Chloramphenicol Agar (SDCA)</b> - Pre-poured medium    | BM17608 | 20 plates Ø 90 mm        |
| <b>Sabouraud Dextrose Chloramphenicol Agar (SDCA)</b> - Pre-poured medium    | BM17708 | 120 plates Ø 90 mm       |
| <b>Sabouraud Dextrose Chloramphenicol Agar (SDCA)</b> - Ready-to-melt medium | BM17208 | 10 x 200 mL in vials     |
| <b>Selenite-Cystine Broth</b>                                                | BK009HA | 500 g                    |
| <b>SESAME Salmonella Detection</b>                                           | BK195HA | 500 g                    |

| Designation                                                                 | Code    | Packaging                |
|-----------------------------------------------------------------------------|---------|--------------------------|
| <b>SESAME Salmonella Detection</b> - Ready-to-melt medium                   | BM13808 | 10 × 200 mL in vials     |
| <b>SESAME Salmonella Detection</b> - Pre-poured medium                      | BM14108 | 20 plates Ø 90 mm        |
|                                                                             | BM15008 | 120 plates Ø 90 mm       |
| <b>Salmonella Enrichment</b>                                                | BK194HA | 500 g                    |
|                                                                             | BK194GC | 5 kg                     |
| <b>Salmonella Enrichment</b> - Ready-to-use medium                          | BM13608 | 10 × 225 mL in vials     |
|                                                                             | BM13708 | 3 × 3 L in flexible bags |
|                                                                             | BM14408 | 2 × 5 L in flexible bags |
| <b>Salmonella Enrichment with Tween®80</b> - Ready-to-use                   | BM16308 | 3 × 3 L in flexible bags |
| <b>SLANETZ and BARTLEY Agar</b>                                             | BK037HA | 500 g                    |
| <b>SLANETZ and BARTLEY Agar</b> - Pre-poured medium                         | BM14608 | 20 plates Ø 55 mm        |
|                                                                             | BM09408 | 120 plates Ø 55 mm       |
| <b>SLANETZ and BARTLEY Agar</b> - Dehydrated base medium                    | BK129HA | 500 g                    |
| <b>* TTC supplement 50 mg</b>                                               | BS02708 | 10 vials pack qsp 500 mL |
| <b>SS Agar</b>                                                              | BK022HA | 500 g                    |
| <b>Sterile distilled water</b>                                              | BM11508 | 50 × 18 mL in tubes      |
|                                                                             | BM16408 | 2 × 5 L in flexible bags |
| <b>Sterile Egg Yolk Tellurite Enrichment</b>                                | BS06008 | 10 × 50 mL in vials      |
| <b>Sterile ferric ammonium citrate 5 % supplement</b>                       | BS05908 | 10 × 90 mL in vials      |
|                                                                             | BS06208 | 7 × 10 mL in tubes       |
| <b>Sugar-Free Agar (SFA)</b>                                                | BK126HA | 500 g                    |
| <b>Sugar-Free Agar (SFA)</b> - Ready-to-melt medium                         | BM12208 | 10 × 100 mL in vials     |
| <b>* Sulfamethazine 25 mg selective supplement</b>                          | BS02808 | 10 vials pack qsp 500 mL |
| <b>T</b>                                                                    |         |                          |
| <b>TBX Agar</b>                                                             | BK146HA | 500 g                    |
|                                                                             | BK146HM | 100 g                    |
| <b>TBX Agar</b> Ready-to-melt medium                                        | BM06908 | 10 × 100 mL in vials     |
|                                                                             | BM17108 | 10 × 200 mL in vials     |
| <b>TCBS Agar</b>                                                            | BK040HA | 500 g                    |
| <b>Tergitol 4 selective supplement</b>                                      | BS03908 | 50 mL in vial            |
| <b>Tergitol 7 Agar</b> - Pre-poured medium                                  | BM14708 | 20 plates Ø 55 mm        |
|                                                                             | BM09308 | 120 plates Ø 90 mm       |
| <b>Tergitol 7 Agar</b> - Dehydrated base medium                             | BK123HA | 500 g                    |
| <b>* TTC supplement 12.5 mg</b>                                             | BS02608 | 10 vials pack            |
| <b>Thioglycollate medium with resazurin</b>                                 | BK017HA | 500 g                    |
| <b>Thioglycollate medium with resazurin</b> - Ready-to-use medium           | BM08208 | 50 × 10 mL in tubes      |
|                                                                             | BK206GC | 5 kg                     |
| <b>Tryptone-salt Broth (Maximum Recovery Diluent)</b>                       | BK014HA | 500 g                    |
| <b>Tryptone-salt Broth (Maximum Recovery Diluent)</b> - Ready-to-use medium | BM00808 | 50 × 9 mL in tubes       |
|                                                                             | BM11408 | 10 × 90 mL in vials      |
|                                                                             | BM13508 | 3 × 3 L in flexible bags |
| <b>Tryptone-Soy Agar (Blood Agar base)</b>                                  | BK028HA | 500 g                    |
| <b>Trypto-casein Soy Broth (TSB)</b>                                        | BK046HA | 500 g                    |
|                                                                             | BK046GC | 5 kg                     |
|                                                                             | BM16608 | 2 × 5 L in flexible bags |
| <b>Trypto-casein Soy Broth (TSB)</b> - Ready-to-use medium                  | BM17908 | 10 × 90 mL in vials      |
|                                                                             | BM00908 | 10 × 100 mL in vials     |
|                                                                             | BM03008 | 50 × 10 mL in tubes      |
| <b>Trypto-casein Soy Agar (TSA)</b>                                         | BK047HA | 500 g                    |
| <b>Trypto-casein Soy Agar (TSA)</b> - Pre-poured medium                     | BM05008 | 20 plates Ø 90 mm        |
| <b>Trypto-casein Soy Agar (TSA)</b> - Ready-to-melt medium                  | BM01708 | 10 × 100 mL in vials     |
|                                                                             | BM04908 | 10 × 200 mL in vials     |



| Designation                                        | Code    | Packaging                |
|----------------------------------------------------|---------|--------------------------|
| <b>Tryptone USP</b>                                | A1401HA | 500 g                    |
|                                                    | A1401GC | 5 kg                     |
| <b>Tryptophan Broth</b>                            | BK163HA | 500 g                    |
| <b>Tryptophan Broth</b> - Ready-to-use medium      | BM07608 | 50 × 3 mL in tubes       |
| <b>TSC Agar</b> - Dehydrated base medium           | BK031HA | 500 g                    |
| <b>TSC Agar</b> - Ready-to-use base medium         | BM03908 | 50 × 20 mL in tubes      |
| <b>TSC Agar</b> - Ready-to-melt base medium        | BM07708 | 10 × 200 mL in vials     |
| <b>* D-cycloserine 200 mg selective supplement</b> | BS00608 | 10 vials pack qsp 500 mL |
| <b>TSI Agar</b>                                    | BK059HA | 500 g                    |
| <b>TSN Agar</b>                                    | BK001HA | 500 g                    |
| <b>TSYE Agar</b>                                   | BK171HA | 500 g                    |
| <b>TSYE Agar</b> - Ready-to-melt medium            | BM10808 | 50 × 18 mL in tubes      |
| <b>TTC supplement 12.5 mg</b>                      | BS02608 | 10 vials pack            |
| <b>TTC supplement 50 mg</b>                        | BS02708 | 10 vials pack qsp 500 mL |
| <b>V</b>                                           |         |                          |
| <b>VRBG Agar</b>                                   | BK011HA | 500 g                    |
|                                                    | BK011GC | 5 kg                     |
| <b>VRBG Agar</b> - Ready-to-melt medium            | BM07508 | 10 × 200 mL in vials     |
| <b>* MUG 50 mg supplement</b>                      | BS02408 | 10 vials pack            |
| <b>VRBL Agar</b>                                   | BK152HA | 500 g                    |
|                                                    | BK152GC | 5 kg                     |
| <b>VRBL Agar</b> - Ready-to-melt medium            | BM03408 | 10 × 100 mL in vials     |
|                                                    | BM03508 | 10 × 200 mL in vials     |
| <b>* MUG 50 mg supplement</b>                      | BS02408 | 10 vials pack            |
| <b>W</b>                                           |         |                          |
| <b>WILKINS-CHALGREN Agar</b>                       | BK101HA | 500 g                    |
| <b>Wort Agar</b> - Dehydrated base medium          | BK013HA | 500 g                    |
| <b>WILSON-BLAIR modified</b>                       | BK004HA | 500 g                    |
| <b>X</b>                                           |         |                          |
| <b>XLD Agar</b>                                    | BK058HA | 500 g                    |
| <b>XLD Agar (ISO 6579)</b>                         | BK168HA | 500 g                    |
| <b>XLD Agar (ISO 6579)</b> - Pre-poured medium     | BM08708 | 20 plates Ø 90 mm        |
| <b>XLT4 Agar</b> - Dehydrated base medium          | BK156HA | 500 g                    |
| <b>* Tergitol 4 selective supplement</b>           | BS03908 | 50 mL in vial            |
| <b>XLT4 Agar</b> - Pre-poured medium               | BM03608 | 20 plates Ø 90 mm        |
| <b>Y</b>                                           |         |                          |
| <b>Yeast extract</b>                               | A1202HA | 500 g                    |
|                                                    | A1202GC | 5 kg                     |
| <b>Yeast extract Agar</b>                          | BK153HA | 500 g                    |
| <b>Yeast extract Agar</b> - Ready-to-melt medium   | BM06808 | 10 × 200 mL in vials     |

| Code | Designation | Packaging |
|------|-------------|-----------|
|------|-------------|-----------|

## Culture media base

|         |                                               |       |
|---------|-----------------------------------------------|-------|
| A1010GC | <b>Bacteriological Agar type A</b>            | 5 kg  |
| A1010HA | <b>Bacteriological Agar type A</b>            | 500 g |
| A1012GC | <b>Bacteriological Agar type E</b>            | 5 kg  |
| A1012HA | <b>Bacteriological Agar type E</b>            | 500 g |
| A1101GC | <b>Bacteriological malt extract</b>           | 5 kg  |
| A1101HA | <b>Bacteriological malt extract</b>           | 500 g |
| A1202GC | <b>Yeast extract</b>                          | 5 kg  |
| A1202HA | <b>Yeast extract</b>                          | 500 g |
| A1401GC | <b>Tryptone USP</b>                           | 5 kg  |
| A1401HA | <b>Tryptone USP</b>                           | 500 g |
| A1402GC | <b>Pancreatic Hydrolysate of Casein Codex</b> | 5 kg  |
| A1402HA | <b>Pancreatic Hydrolysate of Casein Codex</b> | 500 g |
| A1404HA | <b>Acid Hydrolysate of Casein</b>             | 500 g |
| A1601HA | <b>Papaic digest of soybean meal USP</b>      | 500 g |
| A1702HA | <b>Pancreatic digest of meat type 2</b>       | 500 g |
| A1708HA | <b>Peptic digest of meat USP</b>              | 500 g |
| A1710HA | <b>Bacteriological meat extract</b>           | 500 g |

## Dehydrated culture media

|         |                                                       |       |
|---------|-------------------------------------------------------|-------|
| BK001HA | <b>TSN Agar</b>                                       | 500 g |
| BK002HA | <b>Brilliant Green Bile Broth (BGBB)</b>              | 500 g |
| BK003HA | <b>Nutrient Broth</b>                                 | 500 g |
| BK004HA | <b>WILSON-BLAIR modified</b>                          | 500 g |
| BK006HA | <b>Meat-yeast Agar</b>                                | 500 g |
| BK007HA | <b>Chloramphenicol glucose Agar</b>                   | 500 g |
| BK009HA | <b>Selenite-Cystine Broth</b>                         | 500 g |
| BK010HA | <b>Laurylsulfate-Tryptose Broth</b>                   | 500 g |
| BK011GC | <b>VRBG Agar</b>                                      | 5 kg  |
| BK011HA | <b>VRBG Agar</b>                                      | 500 g |
| BK012HA | <b>M 17 Broth</b>                                     | 500 g |
| BK013HA | <b>Wort Agar - Dehydrated base medium</b>             | 500 g |
| BK014HA | <b>Tryptone-salt Broth (Maximum Recovery Diluent)</b> | 500 g |
| BK015HA | <b>Brain-Heart Broth</b>                              | 500 g |
| BK017HA | <b>Thioglycollate medium with resazurin</b>           | 500 g |
| BK018GC | <b>Buffered peptone water (25.5 g/L)</b>              | 5 kg  |
| BK018HA | <b>Buffered peptone water (25.5 g/L)</b>              | 500 g |
| BK019HA | <b>Columbia Agar - Dehydrated base medium</b>         | 500 g |
| BK020HA | <b>CLED Agar</b>                                      | 500 g |
| BK022HA | <b>SS Agar</b>                                        | 500 g |
| BK023HA | <b>Bromcresol Purple Lactose Agar</b>                 | 500 g |
| BK024HA | <b>Meat liver glucose 0.6% Agar</b>                   | 500 g |
| BK025HA | <b>Sabouraud Dextrose Agar</b>                        | 500 g |
| BK026HA | <b>Sabouraud Dextrose Broth</b>                       | 500 g |
| BK027HA | <b>Sabouraud Chloramphenicol Agar</b>                 | 500 g |
| BK028HA | <b>Tryptone-Soy Agar (Blood Agar base)</b>            | 500 g |
| BK029HA | <b>Brain-Heart Agar</b>                               | 500 g |
| BK030HA | <b>Mannitol salt Agar</b>                             | 500 g |
| BK031HA | <b>TSC Agar - Dehydrated base medium</b>              | 500 g |
| BK033HA | <b>ROGOSA Agar</b>                                    | 500 g |
| BK034HA | <b>KLIGLER Agar</b>                                   | 500 g |

| Code    | Designation                                                           | Packaging |
|---------|-----------------------------------------------------------------------|-----------|
| BK036HA | <b>DRIGALSKI lactose Agar</b>                                         | 500 g     |
| BK037HA | <b>SLANETZ and BARTLEY Agar</b>                                       | 500 g     |
| BK040HA | <b>TCBS Agar</b>                                                      | 500 g     |
| BK042HA | <b>Dextrose Tryptone Agar</b>                                         | 500 g     |
| BK045HA | <b>Malt Agar</b>                                                      | 500 g     |
| BK046GC | <b>Trypto-casein Soy Broth (TSB)</b>                                  | 5 kg      |
| BK046HA | <b>Trypto-casein Soy Broth (TSB)</b>                                  | 500 g     |
| BK047HA | <b>Trypto-casein Soy Agar (TSA)</b>                                   | 500 g     |
| BK048HA | <b>MUELLER-HINTON Agar</b>                                            | 500 g     |
| BK049HA | <b>Cetrimide Agar</b> - Dehydrated base medium (without glycerol)     | 500 g     |
| BK050HA | <b>MacCONKEY Agar</b>                                                 | 500 g     |
| BK053HA | <b>Oxytetracycline glucose Agar (OGA)</b>                             | 500 g     |
| BK054HA | <b>Elliker Broth</b>                                                  | 500 g     |
| BK055GC | <b>BAIRD-PARKER Agar</b> - Dehydrated base medium                     | 5 kg      |
| BK055HA | <b>BAIRD-PARKER Agar</b> - Dehydrated base medium                     | 500 g     |
| BK056HA | <b>EMB Agar (LEVINE)</b>                                              | 500 g     |
| BK057HA | <b>ENDO Agar</b>                                                      | 500 g     |
| BK058HA | <b>XLD Agar</b>                                                       | 500 g     |
| BK059HA | <b>TSI Agar</b>                                                       | 500 g     |
| BK060HA | <b>Azide Dextrose Broth</b> (acc. to ROTHE)                           | 500 g     |
| BK061HA | <b>Ethyl violet azide (LITSKY) Broth</b>                              | 500 g     |
| BK062HA | <b>Desoxycholate (0.1%) lactose Agar</b>                              | 500 g     |
| BK065HA | <b>Desoxycholate lactose Agar</b>                                     | 500 g     |
| BK067HA | <b>Hektoen Enteric Agar</b>                                           | 500 g     |
| BK068HA | <b>Eugon Broth</b>                                                    | 500 g     |
| BK070GC | <b>MRS Broth</b>                                                      | 5 kg      |
| BK070HA | <b>MRS Broth</b>                                                      | 500 g     |
| BK071HA | <b>Brilliant Green Agar (KRISTENSEN)</b>                              | 500 g     |
| BK081HA | <b>BUTTIAUX-BROGNIART hypersalted Broth</b> (double strength)         | 500 g     |
| BK082HA | <b>Lactose Broth</b>                                                  | 500 g     |
| BK084HA | <b>Peptone water</b>                                                  | 500 g     |
| BK087HA | <b>MAYEUX SANDINE ELLIKER Agar (MSE)</b>                              | 500 g     |
| BK088HA | <b>M 17 Agar</b>                                                      | 500 g     |
| BK089HA | <b>MRS Agar</b>                                                       | 500 g     |
| BK090HA | <b>Reinforced Clostridial Agar</b>                                    | 500 g     |
| BK091HA | <b>Brilliant Green Agar (EDEL and KAMPELMACHER)</b>                   | 500 g     |
| BK094HA | <b>Reinforced Clostridial Medium (RCM) Broth</b>                      | 500 g     |
| BK095HA | <b>Potato Dextrose Agar (PDA)</b>                                     | 500 g     |
| BK101HA | <b>WILKINS-CHALGREN Agar</b>                                          | 500 g     |
| BK103HA | <b>Orange Serum Agar (OSA)</b>                                        | 500 g     |
| BK107HA | <b>MacCONKEY Broth purple</b>                                         | 500 g     |
| BK108HA | <b>MUELLER-HINTON Broth</b>                                           | 500 g     |
| BK110HA | <b>Oxford Agar</b> - Dehydrated base medium                           | 500 g     |
| BK112HA | <b>Listeria enrichment Broth</b> (LEB acc. to FDA)                    | 500 g     |
| BK113HA | <b>Listeria enrichment Broth</b> (UVM I modified)                     | 500 g     |
| BK115HA | <b>FRASER Broth</b> - Dehydrated base medium                          | 500 g     |
| BK116HA | <b>Bacillus cereus Agar (acc. to Mossel)</b> - Dehydrated base medium | 500 g     |
| BK118HA | <b>CFC Agar</b> - Dehydrated base medium                              | 500 g     |
| BK119HA | <b>Bromcresol Purple Lactose Broth</b>                                | 500 g     |
| BK123HA | <b>Tergitol 7 Agar</b> - Dehydrated base medium                       | 500 g     |
| BK124HA | <b>Listeria enrichment Broth</b> (LEB acc. to IDF)                    | 500 g     |
| BK126HA | <b>Sugar-Free Agar (SFA)</b>                                          | 500 g     |

| Code    | Designation                                                                                                  | Packaging |
|---------|--------------------------------------------------------------------------------------------------------------|-----------|
| BK127HA | <b>EE Broth</b> (acc. to MOSSEL)                                                                             | 500 g     |
| BK128HA | <b>Buffered peptone Broth with sodium chloride pH 7.0</b>                                                    | 500 g     |
| BK129HA | <b>SLANETZ and BARTLEY Agar</b> - Dehydrated base medium                                                     | 500 g     |
| BK130HA | <b>Count-tact Agar</b>                                                                                       | 500 g     |
| BK131GC | <b>Buffered peptone water (20 g/L)</b>                                                                       | 5 kg      |
| BK131HA | <b>Buffered peptone water (20 g/L)</b>                                                                       | 500 g     |
| BK132HA | <b>KF Streptococcus Agar</b> - Dehydrated base medium                                                        | 500 g     |
| BK133GC | <b>FRASER Broth (II)</b> - Dehydrated base medium                                                            | 5 kg      |
| BK133HA | <b>FRASER Broth (II)</b> - Dehydrated base medium                                                            | 500 g     |
| BK134HA | <b>MSRV Agar</b> - Dehydrated base medium                                                                    | 500 g     |
| BK135HA | <b>MÜLLER-KAUFFMANN Broth</b> - Dehydrated base medium                                                       | 500 g     |
| BK137HA | <b>Eugon LT 100 Broth</b>                                                                                    | 500 g     |
| BK138HA | <b>Eugon LT 100 Agar</b>                                                                                     | 500 g     |
| BK140HA | <b>Lactose sulfite (LS) Broth</b>                                                                            | 500 g     |
| BK141GC | <b>BRYANT and BURKEY Broth with resazurin</b> (modified acc. to BERGERE)                                     | 5 kg      |
| BK141HA | <b>BRYANT and BURKEY Broth with resazurin</b> (modified acc. to BERGERE)                                     | 500 g     |
| BK144GC | <b>Plate count Agar (PCA)</b>                                                                                | 5 kg      |
| BK144HA | <b>Plate count Agar (PCA)</b>                                                                                | 500 g     |
| BK145HA | <b>PALCAM Agar</b> - Dehydrated base medium                                                                  | 500 g     |
| BK146HA | <b>TBX Agar</b>                                                                                              | 500 g     |
| BK146HM | <b>TBX Agar</b>                                                                                              | 100 g     |
| BK147HA | <b>MacCONKEY-sorbitol (CT-SMAC) Agar</b> - Dehydrated base medium                                            | 500 g     |
| BK148HA | <b>RAPPAPORT-VASSILIADIS Soja (RVS) Broth</b>                                                                | 500 g     |
| BK150HA | <b>Modified Tryptone soy Broth (mTSB)</b> - Dehydrated base medium                                           | 500 g     |
| BK151HA | <b>Rose Bengal Chloramphenicol Agar</b>                                                                      | 500 g     |
| BK152GC | <b>VRBL Agar</b>                                                                                             | 5 kg      |
| BK152HA | <b>VRBL Agar</b>                                                                                             | 500 g     |
| BK153HA | <b>Yeast extract Agar</b>                                                                                    | 500 g     |
| BK156HA | <b>XLT4 Agar</b> - Dehydrated base medium                                                                    | 500 g     |
| BK157HA | <b>Meat-liver glucose Agar</b>                                                                               | 500 g     |
| BK158HA | <b>BEA Agar</b>                                                                                              | 500 g     |
| BK159HA | <b>GIOLITTI and CANTONI Broth with Tween® 80</b> - Dehydrated base medium                                    | 500 g     |
| BK161HA | <b>Plate count Agar with skimmed milk</b>                                                                    | 500 g     |
| BK162HA | <b>EC Broth</b>                                                                                              | 500 g     |
| BK163HA | <b>Tryptophan Broth</b>                                                                                      | 500 g     |
| BK165HA | <b>CN Agar for Pseudomonas</b> - Dehydrated base medium (with Cetrimide and Nalidixic acid without glycerol) | 500 g     |
| BK168HA | <b>XLD Agar (ISO 6579)</b>                                                                                   | 500 g     |
| BK169HA | <b>MKTTn Broth</b> - Dehydrated base medium                                                                  | 500 g     |
| BK170HA | <b>Dichloran-Glycerol (DG18) Agar</b> - Dehydrated base medium                                               | 500 g     |
| BK171HA | <b>TSYE Agar</b>                                                                                             | 500 g     |
| BK173GC | <b>Half-FRASER Broth</b> - Dehydrated base medium                                                            | 5 kg      |
| BK173HA | <b>Half-FRASER Broth</b> - Dehydrated base medium                                                            | 500 g     |
| BK173HA | <b>Half-FRASER Broth</b> - Dehydrated base medium                                                            | 500 g     |
| BK176HA | <b>MRS Broth (Non-animal)</b>                                                                                | 500 g     |
| BK180HA | <b>Non-animal Broth</b>                                                                                      | 500 g     |
| BK183HA | <b>COMPASS® Enterococcus Agar</b>                                                                            | 500 g     |
| BK185HA | <b>Nutrient Agar 2 %</b>                                                                                     | 500 g     |
| BK186HA | <b>Glutamate Broth</b>                                                                                       | 500 g     |
| BK188HA | <b>COMPASS® Enterobacter sakazakii Agar</b>                                                                  | 500 g     |
| BK189HA | <b>COMPASS® Bacillus cereus Agar</b>                                                                         | 500 g     |
| BK190HA | <b>Modified Lauryl Sulfate Tryptose (mLST) vancomycin Broth</b>                                              | 500 g     |

| Code    | Designation                                                       | Packaging |
|---------|-------------------------------------------------------------------|-----------|
| BK191HA | <b>MSRV Agar (ISO 6579)</b>                                       | 500 g     |
| BK192HA | <b>COMPASS® Listeria Agar (base)</b>                              | 500 g     |
| BK194GC | <b>Salmonella Enrichment</b>                                      | 5 kg      |
| BK194HA | <b>Salmonella Enrichment</b>                                      | 500 g     |
| BK195HA | <b>SESAME Salmonella Detection</b>                                | 500 g     |
| BK198HA | <b>Dichloran Rose Bengal Chloramphenicol (DRBC) Agar</b>          | 500 g     |
| BK202HA | <b>COMPASS® Ecc Agar - Dehydrated medium</b>                      | 500 g     |
| BK205GC | <b>Non-animal malt extract broth</b>                              | 5 kg      |
| BK205HA | <b>Non-animal malt extract broth</b>                              | 500 g     |
| BK206GC | <b>Thioglycollate medium with resazurin - Ready-to-use medium</b> | 5 kg      |
| BK208HA | <b>MKTTn Broth - Dehydrated base medium with novobiocine</b>      | 500 g     |
| BK210HA | <b>COMPASS® cc Agar</b>                                           | 500 g     |

## Ready-to-use culture media

|         |                                                                                |                              |
|---------|--------------------------------------------------------------------------------|------------------------------|
| BM00608 | <b>Eugon LT 100 Broth - Ready-to-use medium</b>                                | 50 × 9 mL in tubes           |
| BM00808 | <b>Tryptone-salt Broth (Maximum Recovery Diluent) - Ready-to-use medium</b>    | 50 × 9 mL in tubes           |
| BM00908 | <b>Trypto-casein Soy Broth (TSB) - Ready-to-use medium</b>                     | 10 × 100 mL in vials         |
| BM01008 | <b>Buffered peptone water (25.5 g/L) - Ready-to-use medium</b>                 | 10 × 225 mL in vials         |
| BM01108 | <b>Brilliant Green Bile Broth (BGBB) single strength - Ready-to-use medium</b> | 50 × 10 mL with Durham tubes |
| BM01308 | <b>FRASER Broth - Ready-to-use medium</b>                                      | 50 × 10 mL in tubes          |
| BM01508 | <b>Plate count Agar (PCA) - Ready-to-melt medium</b>                           | 10 × 100 mL in vials         |
| BM01608 | <b>Half-FRASER Broth - Ready-to-use medium</b>                                 | 10 × 225 mL in vials         |
| BM01708 | <b>Trypto-casein Soy Agar (TSA) - Ready-to-melt medium</b>                     | 10 × 100 mL in vials         |
| BM01808 | <b>BAIRD PARKER Agar with Egg Yolk and Tellurite - Pre-poured medium</b>       | 20 plates Ø 90 mm            |
| BM02008 | <b>PALCAM Agar - Pre-poured medium</b>                                         | 20 plates Ø 90 mm            |
| BM02108 | <b>Chloramphenicol glucose Agar - Ready-to-melt medium</b>                     | 10 × 100 mL in vials         |
| BM02208 | <b>Oxytetracycline glucose Agar (OGA) - Ready-to-melt base medium</b>          | 10 × 110 mL in vials         |
| BM03008 | <b>Trypto-casein Soy Broth (TSB) - Ready-to-use medium</b>                     | 50 × 10 mL in tubes          |
| BM03308 | <b>Plate count Agar (PCA) - Ready-to-melt medium</b>                           | 10 × 200 mL in vials         |
| BM03408 | <b>VRBL Agar - Ready-to-melt medium</b>                                        | 10 × 100 mL in vials         |
| BM03508 | <b>VRBL Agar - Ready-to-melt medium</b>                                        | 10 × 200 mL in vials         |
| BM03608 | <b>XLT4 Agar - Pre-poured medium</b>                                           | 20 plates Ø 90 mm            |
| BM03808 | <b>Bacillus cereus (acc. to Mossel) - Pre-poured medium</b>                    | 20 plates Ø 90 mm            |
| BM03908 | <b>TSC Agar - Ready-to-use base medium</b>                                     | 50 × 20 mL in tubes          |
| BM04308 | <b>Eugon LT 100 Broth - Ready-to-use medium</b>                                | 10 × 100 mL in vials         |
| BM04508 | <b>Eugon LT 100 Agar - Ready-to-melt medium</b>                                | 10 × 200 mL in vials         |
| BM04908 | <b>Trypto-casein Soy Agar (TSA) - Ready-to-melt medium</b>                     | 10 × 200 mL in vials         |
| BM05008 | <b>Trypto-casein Soy Agar (TSA) - Pre-poured medium</b>                        | 20 plates Ø 90 mm            |
| BM05308 | <b>Sabouraud Dextrose Agar (SDA) - Ready-to-melt medium</b>                    | 10 × 200 mL in vials         |
| BM05608 | <b>Buffered peptone water (25.5 g/L) - Ready-to-use medium</b>                 | 50 × 9 mL in tubes           |
| BM05708 | <b>Buffered peptone water (25.5 g/L) - Ready-to-use medium</b>                 | 10 × 90 mL in vials          |
| BM06608 | <b>COMPASS® Salmonella Agar - Pre-poured medium</b>                            | 20 plates Ø 90 mm            |
| BM06708 | <b>BAIRD-PARKER RPF Agar - Pre-poured medium</b>                               | 20 plates Ø 90 mm            |
| BM06808 | <b>Yeast extract Agar - Ready-to-melt medium</b>                               | 10 × 200 mL in vials         |
| BM06908 | <b>TBX Agar Ready-to-melt medium</b>                                           | 10 × 100 mL in vials         |
| BM07108 | <b>GVPC Agar for Legionella - Pre-poured medium</b>                            | 20 plates Ø 90 mm            |
| BM07208 | <b>BCYE Agar for Legionella NEN - Pre-poured medium</b>                        | 20 plates Ø 90 mm            |
| BM07308 | <b>BCYE Agar for Legionella NEN - Pre-poured medium</b>                        | 20 plates Ø 90 mm            |
| BM07408 | <b>RAPPAPORT-VASSILIADIS Soja (RVS) Broth - Ready-to-use medium</b>            | 50 × 10 mL in tubes          |
| BM07508 | <b>VRBG Agar - Ready-to-melt medium</b>                                        | 10 × 200 mL in vials         |
| BM07608 | <b>Tryptophan Broth - Ready-to-use medium</b>                                  | 50 × 3 mL in tubes           |
| BM07708 | <b>TSC Agar - Ready-to-melt base medium</b>                                    | 10 × 200 mL in vials         |

| Code    | Designation                                                                            | Packaging                    |
|---------|----------------------------------------------------------------------------------------|------------------------------|
| BM07808 | <b>MKTTn Broth</b> - Ready-to-use medium                                               | 50 × 10 mL in tubes          |
| BM07908 | <b>Chloramphenicol glucose Agar</b> - Ready-to-melt medium                             | 10 × 200 mL in vials         |
| BM08108 | <b>Legionella Agar NEN</b>                                                             | 20 plates Ø 90 mm            |
| BM08208 | <b>Thioglycollate medium with resazurin</b> - Ready-to-use medium                      | 50 × 10 mL in tubes          |
| BM08608 | <b>Plate count Agar with skimmed milk</b> - Ready-to-melt medium                       | 10 × 200 mL in vials         |
| BM08708 | <b>XLD Agar (ISO 6579)</b> - Pre-poured medium                                         | 20 plates Ø 90 mm            |
| BM08808 | <b>Synthetic sea salt with Bromophenol blue</b> - Ready-to-use medium                  | 50 × 18 mL in tubes          |
| BM08908 | <b>MRS Agar pH 5.7</b> - Ready-to-melt medium                                          | 10 × 200 mL in vials         |
| BM09108 | <b>BAIRD PARKER Agar with Egg Yolk and Tellurite</b> - Pre-poured medium               | 120 plates Ø 90 mm           |
| BM09308 | <b>Tergitol 7 Agar</b> - Pre-poured medium                                             | 120 plates Ø 90 mm           |
| BM09408 | <b>SLANETZ and BARTLEY Agar</b> - Pre-poured medium                                    | 120 plates Ø 55 mm           |
| BM09508 | <b>Acetamide Broth</b> - Ready-to-use                                                  | 7 × 5 mL in tubes            |
| BM09608 | <b>CFC Agar</b> - Ready-to-melt base medium                                            | 10 × 200 mL in vials         |
| BM09708 | <b>Laurylsulfate-Tryptose single strength Broth</b> - Ready-to-use medium              | 50 × 10 mL with Durham tubes |
| BM09808 | <b>Laurylsulfate-Tryptose double strength Broth</b> - Ready-to-use medium              | 50 × 10 mL with Durham tubes |
| BM09908 | <b>Glucose Agar</b> - Ready-to-use medium                                              | 50 × 10 mL in tubes          |
| BM10408 | <b>BEA Agar</b> - Ready-to-melt medium                                                 | 10 × 100 mL in vials         |
| BM10508 | <b>KING B Agar</b> - Ready-to-melt medium                                              | 7 × 7 mL in tubes            |
| BM10808 | <b>TSYE Agar</b> - Ready-to-melt medium                                                | 50 × 18 mL in tubes          |
| BM10908 | <b>Dichloran-Glycerol (DG18) Agar</b> - Ready-to-melt medium                           | 10 × 100 mL in vials         |
| BM11008 | <b>GIOLITTI and CANTONI with Tween® 80 single strength Broth</b> - Ready-to-use medium | 50 × 10 mL in tubes          |
| BM11108 | <b>GIOLITTI and CANTONI with Tween® 80 double strength Broth</b> - Ready-to-use medium | 50 × 10 mL in tubes          |
| BM11208 | <b>BCYE Agar for Legionella</b> - Pre-poured medium                                    | 20 plates Ø 90 mm            |
| BM11308 | <b>BCYE Agar without cysteine for Legionella</b> - Pre-poured medium                   | 20 plates Ø 90 mm            |
| BM11408 | <b>Tryptone-salt Broth (Maximum Recovery Diluent)</b> - Ready-to-use medium            | 10 × 90 mL in vials          |
| BM11508 | <b>Sterile distilled water</b>                                                         | 50 × 18 mL in tubes          |
| BM11608 | <b>COMPASS® Enterococcus Agar</b> - Ready-to-melt medium                               | 10 × 100 mL in vials         |
| BM11808 | <b>Nutrient Agar 2 %</b> - Ready-to-melt medium                                        | 50 × 18 mL in tubes          |
| BM12008 | <b>COMPASS® Enterobacter sakazakii Agar</b> - Pre-poured medium                        | 20 plates Ø 90 mm            |
| BM12108 | <b>Modified Lauryl Sulfate Tryptose (mLST) vancomycin Broth</b> - Ready-to-use medium  | 50 × 10 mL in tubes          |
| BM12208 | <b>Sugar-Free Agar (SFA)</b> - Ready-to-melt medium                                    | 10 × 100 mL in vials         |
| BM12308 | <b>COMPASS® Listeria Agar</b> - Pre-poured medium                                      | 20 plates Ø 90 mm            |
| BM12408 | <b>COMPASS® Listeria Agar</b> - Pre-poured medium                                      | 120 plates Ø 90 mm           |
| BM12508 | <b>Nutrient Agar 2.5 %</b> - Ready-to-melt medium                                      | 50 × 18 mL in tubes          |
| BM12608 | <b>COMPASS® Bacillus cereus Agar</b> - Pre-poured medium                               | 20 plates Ø 90 mm            |
| BM12708 | <b>MSRV Agar (ISO 6579)</b> - Ready-to-melt medium                                     | 10 × 200 mL in vials         |
| BM13008 | <b>COMPASS® Bacillus cereus Agar</b> - Ready-to-melt base medium                       | 10 × 100 mL in vials         |
| BM13108 | <b>Buffered peptone water (25.5 g/L)</b> - Ready-to-use medium                         | 3 × 3 L in flexible bags     |
| BM13208 | <b>Buffered peptone water (25.5 g/L)</b> - Ready-to-use medium                         | 2 × 5 L in flexible bags     |
| BM13308 | <b>Half-FRASER Broth</b> - Ready-to-use medium                                         | 3 × 3 L in flexible bags     |
| BM13408 | <b>Half-FRASER Broth</b> - Ready-to-use medium                                         | 2 × 5 L in flexible bags     |
| BM13508 | <b>Tryptone-salt Broth (Maximum Recovery Diluent)</b> - Ready-to-use medium            | 3 × 3 L in flexible bags     |
| BM13608 | <b>Salmonella Enrichment</b> - Ready-to-use medium                                     | 10 × 225 mL in vials         |
| BM13708 | <b>Salmonella Enrichment</b> - Ready-to-use medium                                     | 3 × 3 L in flexible bags     |
| BM13808 | <b>SESAME Salmonella Detection</b> - Ready-to-melt medium                              | 10 × 200 mL in vials         |
| BM13908 | <b>CONFIRM® L. mono Agar</b> - Pre-poured medium                                       | 10 plates Ø 90 mm            |
| BM14108 | <b>SESAME Salmonella Detection</b> - Pre-poured medium                                 | 20 plates Ø 90 mm            |
| BM14208 | <b>Dichloran Rose Bengal Chloramphenicol (DRBC) Agar</b> - Ready-to-melt medium        | 10 × 200 mL in vials         |
| BM14408 | <b>Salmonella Enrichment</b> - Ready-to-use medium                                     | 2 × 5 L in flexible bags     |
| BM14508 | <b>CN Agar for Pseudomonas</b> - Pre-poured medium                                     | 20 plates Ø 55 mm            |
| BM14608 | <b>SLANETZ and BARTLEY Agar</b> - Pre-poured medium                                    | 20 plates Ø 55 mm            |

| Code    | Designation                                                                  | Packaging                           |
|---------|------------------------------------------------------------------------------|-------------------------------------|
| BM14708 | <b>Tergitol 7 Agar</b> - Pre-poured medium                                   | 20 plates Ø 55 mm                   |
| BM14808 | <b>Mannitol salt Agar</b> - Pre-poured medium                                | 20 plates Ø 55 mm                   |
| BM15008 | <b>SESAME Salmonella Detection</b> - Pre-poured medium                       | 120 plates Ø 90 mm                  |
| BM15308 | <b>COMPASS<sup>®</sup> cc Agar</b> - Pre-poured medium                       | 20 plates Ø 55 mm                   |
| BM15608 | <b>Penicillin Pimaricine Agar (PPA)</b> - Pre-poured medium                  | 20 plates Ø 90 mm                   |
| BM15708 | <b>COMPASS<sup>®</sup> Enterococcus Agar</b> - Pre-poured medium             | 20 plates Ø 55 mm                   |
| BM15908 | <b>BAIRD-PARKER RPF Agar</b> - Pre-poured medium                             | 20 plates Ø 55 mm                   |
| BM16008 | <b>IRIS Salmonella<sup>®</sup> Agar</b> - Pre-poured medium                  | 20 plates Ø 90 mm                   |
| BM16108 | <b>IRIS Salmonella<sup>®</sup> Agar</b> - Pre-poured medium                  | 120 plates Ø 90 mm                  |
| BM16208 | <b>CONFIRM<sup>®</sup> L. mono Broth</b>                                     | 18 x 1 mL in vials                  |
| BM16308 | <b>Salmonella Enrichment with Tween<sup>®</sup>80</b> - Ready-to-use         | 3 x 3 L in flexible bags            |
| BM16408 | <b>Peptone water 0.1 %</b>                                                   | 2 x 5 L in flexible bags            |
| BM16508 | <b>Listeria enrichment Broth (UVM I modified)</b>                            | 2 x 5 L in flexible bags            |
| BM16608 | <b>Trypto-casein Soy Broth (TSB)</b>                                         | 2 x 5 L in flexible bags            |
| BM16708 | <b>RHAPSODY Agar<sup>®</sup></b> - Pre-poured medium                         | 20 boîtes Ø 90 mm                   |
| BM16808 | <b>BCP Dextrose Agar - Ready-to-melt medium</b>                              | 10 x 200 mL in vials                |
| BM16908 | <b>Meat liver glucose agar with 2g/L yeast extract</b>                       | 10 x 200 mL in vials                |
| BM17008 | <b>Eugon LT 100 Agar</b> - Pre-poured medium                                 | 20 plates Ø 90 mm                   |
| BM17108 | <b>TBX Agar</b> Ready-to-melt medium                                         | 10 x 200 mL in vials                |
| BM17208 | <b>Sabouraud Dextrose Chloramphenicol Agar (SDCA)</b> - Ready-to-melt medium | 10 x 200 mL in vilas                |
| BM17308 | <b>Sabouraud Dextrose Agar (SDA)</b> - Pre-poured medium                     | 20 plates Ø 90 mm                   |
| BM17408 | <b>Sabouraud Dextrose Agar (SDA)</b> - Pre-poured medium                     | 120 plates Ø 90 mm                  |
| BM17508 | <b>Eugon LT 100 Broth</b> - Ready-to-use medium                              | 50 x 9 mL in tubes with glass beads |
| BM17608 | <b>Sabouraud Dextrose Chloramphenicol Agar (SDCA)</b> - Pre-poured medium    | 20 plates Ø 90 mm                   |
| BM17708 | <b>Sabouraud Dextrose Chloramphenicol Agar (SDCA)</b> - Pre-poured medium    | 120 plates Ø 90 mm                  |
| BM17908 | <b>Trypto-casein Soy Broth (TSB)</b> - Ready-to-use medium                   | 10 x 90 mL in vials                 |
| BM18008 | <b>MacCONKEY Agar</b> - ready-to-melt medium                                 | 10 x 100 mL in vials                |
| BM18108 | <b>MacCONKEY Broth</b>                                                       | 2 x 5 L in flexible bags            |

## Supplements

|         |                                                       |                                  |
|---------|-------------------------------------------------------|----------------------------------|
| BS00308 | <b>Oxford selective supplement (CCCFA)</b>            | 10 vials pack qsp 500 mL         |
| BS00408 | <b>PALCAM selective supplement</b>                    | 10 vials pack qsp 500 mL         |
| BS00608 | <b>D-cycloserine 200 mg selective supplement</b>      | 10 vials pack qsp 500 mL         |
| BS00708 | <b>Polymyxin B selective supplement</b>               | 10 vials pack                    |
| BS00808 | <b>Oxytetracycline 50 mg selective supplement</b>     | 10 vials pack qsp 550 mL         |
| BS00908 | <b>Gentamicin 25 mg selective supplement</b>          | 10 vials pack                    |
| BS02108 | <b>Chloramphenicol 50 mg selective supplement</b>     | 10 vials pack                    |
| BS02208 | <b>CFC selective supplement</b>                       | 10 vials pack qsp 500 mL         |
| BS02408 | <b>MUG 50 mg supplement</b>                           | 10 vials pack                    |
| BS02608 | <b>TTC supplement 12.5 mg</b>                         | 10 vials pack                    |
| BS02708 | <b>TTC supplement 50 mg</b>                           | 10 vials pack qsp 500 mL         |
| BS02808 | <b>Sulfamethazine 25 mg selective supplement</b>      | 10 vials pack qsp 500 mL         |
| BS03008 | <b>Half-FRASER selective supplement</b>               | 10 vials pack qsp 500 mL         |
| BS03108 | <b>FRASER selective supplement</b>                    | 10 vials pack qsp 500 mL         |
| BS03208 | <b>Half-FRASER selective supplement</b>               | 8 vials pack qsp 2.25 L          |
| BS03308 | <b>Novobiocin 10 mg selective supplement</b>          | 10 vials pack                    |
| BS03408 | <b>Rabbit Plasma Fibrinogen (RPF) supplement</b>      | 8 vials pack (1 vial qsp 100 mL) |
| BS03408 | <b>Rabbit Plasma Fibrinogen (RPF) supplement</b>      | 8 vials pack (1 vial qsp 100 mL) |
| BS03708 | <b>Cefixime-tellurite supplement for CT-SMAC Agar</b> | 10 vials pack qsp 500 mL         |
| BS03808 | <b>Rabbit Plasma Fibrinogen (RPF) supplement</b>      | 1 vial qsp 500 mL                |
| BS03908 | <b>Tergitol 4 selective supplement</b>                | 50 mL in vial                    |
| BS04908 | <b>PALCAM selective supplement</b>                    | 8 vials pack qsp 2.5 L           |
| BS05508 | <b>Egg Yolk Emulsion with Polymyxin B</b>             | 10 x 50 mL in vials              |

| Code    | Designation                                                               | Packaging                |
|---------|---------------------------------------------------------------------------|--------------------------|
| BS05908 | <b>Sterile ferric ammonium citrate 5 % supplement</b>                     | 10 × 90 mL in vials      |
| BS06008 | <b>Sterile Egg Yolk Tellurite Enrichment</b>                              | 10 × 50 mL in vials      |
| BS06208 | <b>Sterile ferric ammonium citrate 5 % supplement</b>                     | 7 × 10 mL in tubes       |
| BS06608 | <b>Egg Yolk Enrichment</b>                                                | 10 × 50 mL in vials      |
| BS06908 | <b>COMPASS® <i>Bacillus cereus</i> - Selective supplement</b>             | 10 vials pack qsp 100 mL |
| BS07008 | <b>COMPASS® <i>Listeria</i> Agar - Enrichment supplement - liquid</b>     | 8 vials pack qsp 1 L     |
| BS07108 | <b>COMPASS® <i>Listeria</i> Agar - Selective supplement - lyophilised</b> | 8 vials pack qsp 1 L     |
| BS07708 | <b>IRIS <i>Salmonella</i>® supplement - Tablets</b>                       | 120 tablets              |
| BS07808 | <b>IRIS <i>Salmonella</i>® supplement - Liquid</b>                        | 10 × 50 mL in vials      |
| BS08408 | <b>COMPASS® <i>cc</i> Agar - Selective supplement</b>                     | 10 vials pack qsp 500 mL |
| BS08508 | <b>COMPASS® <i>Bacillus cereus</i> - Selective supplement</b>             | 10 vials pack qsp 500 mL |

## Reagents

|         |                                            |                                |
|---------|--------------------------------------------|--------------------------------|
| BR00108 | <b>Ringer's solution (1/4 strength)</b>    | 100 tablets                    |
| BR00208 | <b>Lyophilized coagulase rabbit plasma</b> | 10 vials pack for 20 reactions |
| BR00308 | <b>Synthetic sea salt</b>                  | 100 g                          |

## Kits

|         |                                                             |                                                                                           |
|---------|-------------------------------------------------------------|-------------------------------------------------------------------------------------------|
| BT00108 | <b>Microplate MUG/EC</b>                                    | 25 opaque microplates                                                                     |
| BT00308 | <b>Microplate MUD/SF</b>                                    | 25 opaque microplates                                                                     |
| BT00508 | <b>BAIRD-PARKER RPF Agar</b>                                | 6 × 90 mL vials of base medium ready-to-melt + 6 vials of RPF suppl. qsp 100 mL           |
| BT00808 | <b>COMPASS® <i>Listeria</i> Agar</b>                        | 6 × 200 mL base medium in vials + 6 vials of selective suppl. qsp 200 mL + 6 vials of en- |
| BT01008 | <b>BAIRD-PARKER RPF Agar</b>                                | 6 × 180 mL vials of base medium ready-to-melt + 6 vials of RPF suppl. qsp 200 mL          |
| BT01108 | <b>CONFIRM® <i>Salmonella</i> - Latex agglutination kit</b> | 50 tests                                                                                  |

## Accessory

|         |                                                    |      |
|---------|----------------------------------------------------|------|
| BA00208 | <b>Stainless steel connector for flexible bags</b> | Unit |
|---------|----------------------------------------------------|------|







**BIOKAR Diagnostics**

Rue des Quarante Mines  
ZAC de Ther—Allonne—B.P. 10245  
60002 Beauvais Cedex—France

[www.biokar-diagnostics.com](http://www.biokar-diagnostics.com)