



Blender bags



interscience

Choose your blender bag



BagFilter® Lateral filter bags ▶ For all types of sample



- Lateral non-woven filter
- Multilayer®, reinforced multicoated complex
- Rigid and transparent

10 models, available in:
400 mL / 2000 mL / 3500 mL

Filter porosity:
from < 20 to < 250 micrometers




BagFilter® P
non-woven filter

BagFilter® Pipet & Roll
for multiple pipettings

BagFilter® S
for pouring

BagFilter Pull-Up®
for small volumes / PCR



BagPage® Full-page filter bags ▶ For pasty samples



- Full-page calibrated microperforated filter
- Multilayer®, reinforced multicoated complex
- Rigid and transparent

9 models, available in:
100 mL / 400 mL / 2000 mL / 3500 mL

Filter porosity:
from 63 to 280 micrometers



BagPage® +
micro-perforated filter

BagPage® F
for flow cytometry

BagPage® R
non-woven filter

BagPage® XR
extra resistant

BagLight® Non-filter bags ▶ PolySilk® standard



- PolySilk®, polyolefin complex
- Flexible and transparent

6 models, available in:
100 mL / 400 mL / 2000 mL / 3500 mL

Without filter




BagLight® PolySilk®
non-filter bags

BagLight® Multilayer®
ultra resistant

RollBag® Sampling and blender bag

- PolySilk®: polyolefin complex
- Writing zone

11 models available




Technical specifications

Product	Ref.	Max blending volume	Optimal blending volume	Filter porosity	Dimensions	Pack of	Box of
BagFilter® Lateral filter blender bag for all types of sample							
BagFilter® Pipet & Roll	111 720	400 mL	50-300 mL	< 250 µm	190 x 300 mm	25	500
BagFilter® Pipet	111 710	400 mL	50-300 mL	< 250 µm	190 x 300 mm	25	500
BagFilter® Roll	111 700	400 mL	50-300 mL	< 250 µm	190 x 300 mm	25	500
BagFilter® P 400	111 425	400 mL	50-300 mL	< 250 µm	190 x 300 mm	25	500
BagFilter® P 400 unmarked	111 000	400 mL	50-300 mL	< 250 µm	190 x 300 mm	25	500
BagFilter® P 2000	111 200	2000 mL	400-1500 mL	< 250 µm	250 x 380 mm	25	400
BagFilter® P 3500	113 510	3750 mL	400-3750 mL	< 250 µm	380 x 600 mm	10	100
BagFilter® S 400	112 425	400 mL	50-300 mL	< 250 µm	190 x 300 mm	25	500
BagFilter Pull-Up®	111 625	400 mL	50-300 mL	< 50 µm	190 x 300 mm	25	500
BagFilter® XF	111 325	400 mL	50-300 mL	< 20 µm	190 x 300 mm	25	500
BagPage® Full-page filter blender bag for pasty samples							
BagPage® 100	121 025	100 mL	5-50 mL	280 µm	95 x 180 mm	25	500
BagPage® + 400	122 025	400 mL	50-300 mL	280 µm	190 x 300 mm	25	500
BagPage® + 400 unmarked	122 000	400 mL	50-300 mL	280 µm	190 x 300 mm	25	500
BagPage® + 2000	122 200	2000 mL	400-1500 mL	280 µm	250 x 380 mm	25	250
BagPage® + 3500	123 010	3750 mL	400-3750 mL	280 µm	380 x 600 mm	10	100
BagPage® F 400	122 325	400 mL	50-300 mL	63 µm	190 x 300 mm	25	500
BagPage® R 400	161 025	400 mL	50-300 mL	< 250 µm	190 x 300 mm	25	500
BagPage® XR 400	122 425	400 mL	50-300 mL	280 µm	190 x 300 mm	25	400
BagLight® Non-filter blender bag / PolySilk® standard							
BagLight® PolySilk® 100	131 025	100 mL	5-50 mL	-	110 x 200 mm	25	500
BagLight® PolySilk® 400 (x25)	132 025	400 mL	50-300 mL	-	175 x 300 mm	25	500
BagLight® PolySilk® 400 (x50)	132 050	400 mL	50-300 mL	-	175 x 300 mm	50	500
BagLight® PolySilk® 2000	132 200	2000 mL	400-1500 mL	-	250 x 380 mm	25	500
BagLight® PolySilk® 3500	133 025	3500 mL	400-3750 mL	-	380 x 560 mm	25	250
BagLight® Multilayer® 400	132 225	400 mL	50-300 mL	-	190 x 300 mm	25	500

Product	Ref.	Max volume	Max blending volume	Optimal blending volume	Dimensions	Box of
RollBag® Sterile sampling bag						
RollBag® 7.5 x 20	145 072	110	65	5-40	7.5 x 20	500
RollBag® 11 x 20	145 112	200	160	5-80	11 x 20	500
RollBag® 11 x 25	145 115	400	180	5-110	11 x 25	500
RollBag® 14 x 23	145 142	400	200	5-130	14 x 23	500
RollBag® 11 x 30	145 113	620	145	5-100	11 x 30	500
RollBag® 14 x 33	145 143	850	350	50-250	14 x 33	500
RollBag® 17.5 x 30	145 173	1100	550	50-350	17.5 x 30	250
RollBag® 17.5 x 40	145 174	1800	650	50-400	17.5 x 40	250
RollBag® 25 x 38	145 253	2500	1000	200-600	25 x 38	250
RollBag® 25 x 50	145 255	4500	2500	400-1000	25 x 50	250
RollBag® 38 x 56	145 385	10000	5000	500-3000	38 x 56	250



All our bags are approved for food contact, radiosterilized and compatible with all lab blenders. A red sticker is placed on every box as a mark of guarantee of gamma ray treatment. A certificate is included with each shipment.



Product made for INTERSCIENCE by Interlab, an ISO 9001 certified company.



Why use a filter bag?




Standard bag

No filtration




Filter bag

Instant filtration




- Diluted and blended sample particles
- Microorganisms to be analyzed

After plating and incubation




Time-consuming and inaccurate results



- Diluted and blended sample particles
- Microorganisms to be analyzed
- Filter

After plating and incubation



Optimized process and accurate results

Your local distributor

interscience

PARIS

Phone: +33 (0)1 34 62 62 61 - Email: info@interscience.com

FRANKFURT

Phone: +49 611 7238 7770 - Email: sales.germany@interscience.com

BOSTON

Phone: +1 781 937 0007 - Email: sales.usa@intersciencelab.com

SHANGHAI

Phone: +86 (0)21-64739390 - Email: sales.china@interscience.cn

SINGAPORE

Phone: +65 6977 7232 - Email: sales.asia@interscience.com

TOKYO

Phone: +81 3 6712 9715 - Email: sales.japan@interscience.com

www.interscience.com